

AMPMODU | AMPMODU HE 13/HE 14

TE Internal #: 182734-2


Connector Contact, Socket, Wire-to-Board, 1 Position, .1 in [2.54 mm] Centerline, 28 – 24 AWG Wire Size, 160 – 404 CMA Wire Size,

AMPMODU HE 13/HE 14

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts > HE13/HE14 Contacts



Contact Type: Socket

Connector System: Wire-to-Board

Number of Positions: 1

Centerline (Pitch): 2.54 mm [.1 in]

Wire Size: **28 – 24 AWG**

All HE13/HE14 Contacts (4)

Features

Product Type Features

Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Number of Positions	1

Contact Features

Mating Square Post Dimension	.63 mm[.024 in]
Contact Mating Area Plating Material Thickness	2.5 μm
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	3 A

Termination Features

Termination Method to Wire & Cable Insulation Displacement (IDC)	
--	--

Mechanical Attachment



Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Accepts Wire Insulation Diameter Range	.8 – 1.5 mm[.032 – .059 in]
Wire Size	.08 – .24 mm²
Usage Conditions	
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	200
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts














Also in the Series | AMPMODU HE 13/HE 14







PCB Headers & Receptacles(83)



Wire-to-Board Connector Assemblies & Housings(151)



Wire-to-Board Connector Contacts(4)

Customers Also Bought







Documents



Product Drawings

CONTACT REC HE14 COSI LOOSE P

English

CONTACT REC HE14 COSI LOOSE P

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_182734-2_P1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_182734-2_P1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_182734-2_P1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_182734-2_06092014732_dmtec

English

MD_182734-2_06092014732_dmtec

English