Get .64 Connector System

TE Internal #: 1924639-1

Housing for Female Terminals, Wire-to-Wire, 8 Position, Black, Signal, Cable Mount (Free-Hanging), Get .64 Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > GET .64 CONNECTOR SYSTEM, CONNECTOR HSG











Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1 mm [.039 in]
Connector System: Wire-to-Wire

Number of Positions: 8

Sealable: No

All GET .64 CONNECTOR SYSTEM, CONNECTOR HSG (106)

Features

Product Type Features

Froduct Type reatures	
Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	8
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Body Material	PA GF

Black

Primary Product Color



Connector Code	С
Contact Features	
Contact Size	.64mm
Contact Type	Receptacle
Mating Tab Width	1 mm[.039 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Dimensions	
Product Width	23.6 mm[.93 in]
Product Length	23.37 mm[.92 in]
Product Height	12.13 mm[.48 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C [158 °F][167 °F][176 °F][185 °F][194 °F][212 ° F]
Operating Temperature Range	-40 - 100 °C[-40 - 212 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Agency/Standard	SAE/USCAR-2
UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	700
Packaging Method	Bulk
Other	
Serviceable	Yes
Connector Position Assurance Capable	No



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













Also in the Series | Get .64 Connector System



Automotive Connector Caps & Covers (7)



Automotive Housings(108)



Automotive Terminals(30)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(1)

Customers Also Bought



PL 187 TERMINAL REC 20-16 AWG
TPBR















Documents

Product Drawings

1X8 FEMALE ASSY KEY C, LP LATC

English

CAD Files

Customer View Model

ENG_CVM_CVM_1924639-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1924639-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1924639-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

GET 0.64 Interconnection System

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English