



FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 178004-2

Crimp Terminal Housings, Tab, Tab Housing, 4 Position, Straight, Black, Nylon, Contact Mating Retention, Mating Alignment, FASTIN-FASTON 250

[View on TE.com >](#)

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Tab**

Housing Type: **Tab Housing**

Number of Positions: **4**

Terminal Orientation: **Straight**

Primary Product Color: **Black**

Features

Product Type Features

Product Type	Terminal Housing
Sealable	No
Housing Type	Tab Housing
Insulated	No

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	With

Mechanical Attachment

--	--



Mating Retention Type	Double Lock
Mating Alignment	With
Crimp Terminal Housing Mounting Style	Cable Mount (Free-Hanging)

Housing Features

Housing Material	Nylon
Centerline (Pitch)	5.5 mm[.216 in]

Dimensions

Length	25 mm[.98 in]
--------	---------------

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	100
--------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Not Yet Reviewed
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 178022-1
FF 250 PLUG HSG DBL LOCK NAT



TE Part # 178004-1
FF 250 PLUG HSG 4P NYLON NAT



TE Part # 178022-2
FF 250 PLUG HSG DBL LOCK BLACK



TE Part # 172134-2
FF 250 PLUG HSG 4P NYLON BLACK



TE Part # 176986-1
FF 250 PLUG HSG 1P NYLON NAT



TE Part # 172127-2
FF 250 PLUG HSG 1P NYLON BLACK



TE Part # 171260-2
FF 250 TAB HSG 12P NYLON BLACK



TE Part # 171260-3
FF 250 TAB HSG 12P NYLON BLACK



TE Part # 176986-2
FF 250 PLUG HSG 1P NYLON BLACK



TE Part # 176992-2
250 DBL LOCK CAP IKEI 2P BLACK



TE Part # 178005-2
FF 250 PLUG HSG 4P NYLON BLACK



TE Part # 178007-1
FF 250 CAP 4P DBL ASSY.NAT



TE Part # 178025-2
FF 250 CAP HSG DBL 6P BLACK



TE Part # 880309-2
1 WAY FF 250 HOUSING TAB NYLON
6.6 BLACK

Also in the Series | **FASTIN-FASTON 250**



Crimp Terminal Housings(218)



Insertion & Extraction Tools(2)



PCB Terminals(2)



Quick Disconnects(255)


Customers Also Bought




TE Part #1-1318382-4
SIGNAL HEADER



TE Part #6318813-1
025/040 167POS CAP HSG ASSY




TE Part #353840-1
SEAT BELT FPC PLATE




TE Part #1-2295435-2
36POS, HYBRID, HDR ASSY, 180DEG, SMD




TE Part #3-5178203-1
040 PAIR MATE CAP ASSY 100P




TE Part #5-5353468-1
HIBRID I/O CAP HSG ASSY 76P



TE Part #5-5353468-6
HYBRID I/O CAP HSG ASSY 76P



TE Part #8-5175446-6
04/07 HYBRID CAP H ASSY 42P



TE Part #9-5175448-1
04/07 HYBRID CAP ASSY 54P NATU

Documents

Product Drawings

FF 250 PLUG HSG 4P NYLON BLACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_178004-2_C.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_178004-2_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_178004-2_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[White Paper: Nylon Discoloration](#)

English

Product Specifications

[Application Specification](#)

English