

## AMP SLIM

TE Internal #: 1909783-1 Housing, Receptacle, Wire-to-Board, 2 Position, 1.2 mm [.047 in] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable, AMP SLIM

#### View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 2

Centerline (Pitch): 1.2 mm [.047 in ]

# Features



# Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	2
Number of Rows	1
Electrical Characteristics	
Operating Voltage	50 VAC
Contact Features	
Contact Layout	Inline
Contact Type	Socket
Contact Current Rating (Max)	3 A

**C** For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Board, 2 Position, 1.2 mm [.047 in] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable, AMP SLIM



### **Termination Features**

Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Strain Relief	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Latch
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Entry Configuration	Both Ends Closed
Housing Material	PA 66
Centerline (Pitch)	1.2 mm[.047 in]
Housing Color	Black
Dimensions	
Connector Length	3.46 mm[.136 in]
Connector Height	1.2 mm[.047 in]
Connector Width	3.5 mm[.138 in]
Usage Conditions	
Operating Temperature Range	-25 – 85 °C[-13 – 185 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag
Product Compliance	
For compliance documentation, visit the product page on TE.com>	

**C** For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Board, 2 Position, 1.2 mm [.047 in] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable, AMP SLIM



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




# Also in the Series | AMP SLIM



Housing, Receptacle, Wire-to-Board, 2 Position, 1.2 mm [.047 in] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable, AMP SLIM



# Customers Also Bought



# Documents

**Product Drawings** WIRE TO BOARD HOUSING 1.2MM TOP ENTRY

English

**CAD** Files

# 3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_1909783-1\_C.2d\_dxf.zip

English

**Customer View Model** ENG\_CVM\_CVM\_1909783-1\_C.3d\_igs.zip

English

**Customer View Model** ENG\_CVM\_CVM\_1909783-1\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

**Product Specifications Application Specification** 

English

**Product Environmental Compliance TE Material Declaration** 

English

Housing, Receptacle, Wire-to-Board, 2 Position, 1.2 mm [.047 in] Centerline, Crimp, 1 Row, Black, Mating Retention, Wire & Cable, AMP SLIM

