



TE Internal #: 179322-3

Connector Contact, Pin / Tab, Wire-to-Wire, .472 in [12 mm]

Centerline, 24 – 20 AWG Wire Size, 394.71 – 986.76 CMA Wire Size, .

2 – .5 mm<sup>2</sup> Wire Size

[View on TE.com >](#)

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Contacts



Contact Type: **Pin, Tab**

Connector System: **Wire-to-Wire**

Centerline (Pitch): **12 mm [ .472 in ]**

Wire Size: **394.71 – 986.76 CMA**

## Features

### Product Type Features

Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

### Electrical Characteristics

Operating Voltage	250 VAC
-------------------	---------

### Contact Features

Mating Tab Width	3 mm[.118 in]
Mating Tab Thickness	.65 mm[.025 in]
	200 – 500 μin
Wire Contact Termination Area Plating Material Finish	Bright
Wire Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Type	Pin, Tab
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	7 A



### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

### Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

### Housing Features

Centerline (Pitch)	12 mm [.472 in]
--------------------	-----------------

### Dimensions

Accepts Wire Insulation Diameter Range	1.4 – 2.6 mm [.055 – .102 in]
Wire Size	.2 – .5 mm <sup>2</sup>

### Usage Conditions

Operating Temperature Range	-30 – 105 °C [-22 – 221 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

### Packaging Features

Packaging Quantity	20
Packaging Method	Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # CAT-AM7053-D797P  
Mini CT Drawer Connector Assemblies



TE Part # 1-292183-2  
PLUG ASS'Y OF HYB DRAWER 18P



TE Part # 292182-8  
PLUG ASS'Y OF HYB DRAWER 12P



TE Part # 2305570-1  
TERMINAL CUTTER, SIDE FEED



TE Part # 2-292181-8  
PLUG ASS'Y OF HYB DRAWER 32P



TE Part # 2-292181-0  
PLUG ASS'Y OF HYB DRAWER 24P



TE Part # 7-2151124-1  
OCEAN-2.0-APPLICATOR-S-062F120F



TE Part # 7-2151124-2  
OCEAN-2.0-APPLICATOR-S-062F120F



TE Part # 2-2151124-1  
OCEAN-2.0-APPLICATOR-S-062F120F



TE Part # 2-2151124-2  
OCEAN-2.0-APPLICATOR-S-062F120F



TE Part # 2151124-1  
OCEAN-2.0-APPLICATOR-S-062F120F



TE Part # 2151124-2  
OCEAN-2.0-APPLICATOR-S-062F120F




TE Part # 7-2151124-7  
OC-062F120F-CRIMP TOOLING KIT



TE Part # 934199-1  
DAHT HYBRID MINI DRAWER 24-20 ASSY

## Customers Also Bought



## Documents

### Product Drawings

[HYBRID MINI DRAWER TAB CONT.#2](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_179322-3\\_K2.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_179322-3\\_K2.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_179322-3\\_K2.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages



## Low Power Drawer Connectors QRG

English

---

### Product Specifications

[Crimping of AMP 2.0mm Pitch, CT Crimp Typell Rec Contact](#)

English

[Application Specification](#)

English

[Application Specification](#)

English

[Crimping Hybrid Mini Drawer Connector Power Line Contact](#)

English

---

### Product Environmental Compliance

[MD\\_179322-3\\_0303201705\\_dmtec](#)

English

[MD\\_179322-3\\_0303201705\\_dmtec](#)

English