


GRACE INERTIA 6.2 TE Internal #: 1903684-1 Rectangular Power Connectors, Housing, Receptacle, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-0, Standard Part - Not Glow Wire, GRACE INERTIA 6.2

View on TE.com >

connectivity

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors > STD Temp GRACE INERTIA Cap



Rectangular Power Connector Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 1

Sealable: No

All STD Temp GRACE INERTIA Cap (24)

Features

Product Type Features

Rectangular Power Connector Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	1
Keying	A
Number of Rows	1
Electrical Characteristics	
Operating Voltage	600 VDC
Contact Features	

Rectangular Power Connectors, Housing, Receptacle, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-0, Standard Part - Not Glow Wire, GRACE INERTIA 6.2



Contact Layout	Inline
Contact Base Material	Copper Alloy
Contact Retention Within Housing	Without
Contact Type	Tab
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Panel Mount Feature	Without
PCB Mount Retention	Without
Connector Mounting Type	Panel Mount
Mating Retention	With
Mating Retention Type	Latch
Housing Features	
Housing Color	Natural
Housing Material	Nylon 66
Dimensions	
Height	11.7 mm[.46 in]
Length	10.1 mm[.397 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire
Packaging Features	
Packaging Method	Bag
Packaging Quantity	500
Other	

C For support call+1 800 522 6752

Rectangular Power Connectors, Housing, Receptacle, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-0, Standard Part - Not Glow Wire, GRACE INERTIA 6.2



For Use With	Plug Housing
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | GRACE INERTIA 6.2

Rectangular Power Connectors, Housing, Receptacle, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-0, Standard Part - Not Glow Wire, GRACE INERTIA 6.2





Customers Also Bought



Documents

Product Drawings GIC 6.2MM PITCH 1POS CAP HSG NATURAL

English



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1903684-1_F_c-1903684-1-f.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1903684-1_F_c-1903684-1-f.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1903684-1_F_c-1903684-1-f.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

1-1773883-5 GRACE INERTIA connector quick reference guide

English

Product Specifications

Application Specification

English

Rectangular Power Connectors, Housing, Receptacle, Wire-to-Wire, 1 Position, Wire & Cable, UL 94V-0, Standard Part - Not Glow Wire, GRACE INERTIA 6.2



Product Environmental Compliance

TE Material Declaration

English

Agency Approvals UL Report

English