

Power Double Lock

TE Internal #: 177906-9

Rectangular Power Connectors, Housing, Receptacle, Wire-to-Panel / Wire-to-Wire / Wire-to-Board, 2 Position, Power Double

Lock

View on TE.com >



Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors











Rectangular Power Connector Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board, Wire-to-Panel, Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 3.96 mm [.156 in]

Features

Product Type Features

| Rectangular Power Connector Type | Housing |
|-----------------------------------|--------------------------------------------|
| Connector & Housing Type | Receptacle |
| Connector System | Wire-to-Board, Wire-to-Panel, Wire-to-Wire |
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |
| Configuration Features | |
| Number of Positions | 2 |
| Number of Power Positions | O |
| Number of Signal Positions | 0 |
| Number of Rows | 1 |
| Electrical Characteristics | |
| Operating Voltage | 300 VAC |
| Contact Features | |

Inline

Contact Layout



| Contact Retention Within Housing | Without |
|------------------------------------|-------------------------------------------------------------------------|
| Contact Type | Tab |
| Termination Features | |
| Termination Method to Wire & Cable | Crimp |
| Wire/Cable Type | Discrete Wire |
| Wire Type | Stranded |
| Mechanical Attachment | |
| Panel Mount Feature | With |
| Panel Mount Feature Type | Latches |
| Connector Mounting Type | Panel Mount |
| Housing Features | |
| Centerline (Pitch) | 3.96 mm[.156 in] |
| Housing Color | Black |
| Housing Material | Nylon 6/6 |
| Dimensions | |
| Panel Thickness | .8 – 2 mm[.031 – .078 in] |
| Usage Conditions | |
| Operating Temperature Range | -30 - 105 °C[-22 - 221 °F] |
| Operation/Application | |
| Circuit Application | Power & Signal |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| Glow Wire Rating | Standard Part - Not Glow Wire |
| Agency/Standard Number | E28476 |
| Agency/Standard | UL |
| Packaging Features | |
| Packaging Method | Bag |
| Packaging Quantity | 200 |
| Other | |
| For Use With | Contacts: 177916 or 177917, Double Lock Plate 177918-1, Plug: 177898 |
| | |



Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Power Double Lock





Connector Contacts(1)



Insertion & Extraction Tools(2)



Power Contacts(23)




Rectangular Connector Locking(14)




Customers Also Bought



TE Part #1-440052-3 2.5MM,HDR,13POS,VERTICAL, CONNECTOR



TE Part #1376388-5
5MM POWER KEY 2P PLUG HSG NUT




TE Part #1871820-1 GIC 3.3 6P DBL LOCK PLATE(2-ROW, M-TYPE)





TE Part #1976320-1 ASBY, STEPPED HEX DIE SET



TE Part #2-1633383-5
ANVIL, COMBINATION




TE Part #2150384-1
OCEAN_2.0_Applicator-E-070F140F



TE Part #2266501-1
OCEAN_2.0_Applicator-S-080F145O



TE Part #2266547-1 OC-AT-S-FM-070F154O-001-0031



TE Part #4-1633383-4
ANVIL, COMBINATION

Documents



Product Drawings

DBL LOCK CAP P/M 2P BLACK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_177906-9_V.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_177906-9_V.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_177906-9_V.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG

English

1773458-5_POWER_DBL_LOCK_(PDL)_CONNECTORS

English

Product Specifications

Product Specification

English

Instruction Sheets

Instruction Sheet (non U.S.)

English

AMP POWER DOUBLELOCK CONNECTOR SERIES

English

Agency Approvals

UL Report

English