


TH/.025 Connector System

TE Internal #: 2005088-1 Wire-to-Wire, 32 Position, .087 in [2.2 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), TH/.025 Connector System View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TH/.025 CONNECTOR SYSTEM, HOUSING



Mating Tab Width: .64 mm [.025 in]

Connector System: Wire-to-Wire

Number of Positions: 32

Centerline (Pitch): 2.2 mm [.087 in]

Sealable: No

All TH/.025 CONNECTOR SYSTEM, HOUSING (202)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Configuration Features	
Number of Positions	32
Number of Rows	2
Body Features	
Body Material	PBT
Primary Product Color	Natural
Contact Features	
Contact Size	.63mm
Mating Tab Width	.64 mm[.025 in]

Wire-to-Wire, 32 Position, .087 in [2.2 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), TH/.025 Connector System



Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.2 mm[.087 in]
Dimensions	
Product Width	15.8 mm[.622 in]
Product Length	37.4 mm[1.472 in]
Product Height	21 mm[.827 in]
Product Height Operation/Application	21 mm[.827 in]
	21 mm[.827 in] Signal
Operation/Application	

Packaging Method

Bag

Other

Connector Position Assurance Capable

No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Wire-to-Wire, 32 Position, .087 in [2.2 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), TH/.025 Connector System



Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | TH/.025 Connector System






Customers Also Bought

C For support call+1 800 522 6752

Wire-to-Wire, 32 Position, .087 in [2.2 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), TH/.025 Connector System







TE Part #936369-1 090/JPT 25P PLUG ASSY(D.T.B) TE Part #649323-000 BL-RNF-3000-12/4-0-40MM

Documents

Product Drawings 025 32P PLUG ASSY

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2005088-1_C.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_2005088-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2005088-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

Wire-to-Wire, 32 Position, .087 in [2.2 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), TH/.025 Connector System



TH/.025 Connector Series

English

Product Specifications 025 Series

English