



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Hardware



Hardware Type: **Strain Relief Clamp**

Connector System: **Wire-to-Wire**

Number of Positions: **14**

Sealable: **No**

Connector & Contact Terminates To: **Wire & Cable**

Features

Product Type Features

Strain Relief	With
Product Type	Hardware
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	14
---------------------	----

Body Features

Material	Carbon Steel
Cable Exit Angle	180°, 90°
Strain Relief Type	Short

Mechanical Attachment

Mounting Bracket Plating Material	Nickel
Mounting Bracket Material	Steel



Mounting Hardware	U Bolt, Wire Guide, Protection Sleeve and Nut
Screw & Hole Thread Size	4-40
Hardware Type	Strain Relief Clamp
Connector Mounting Type	Cable Mount (Free-Hanging)

Dimensions

Height	31.75 mm[1.25 in]
Length	28.58 mm[1.125 in]
Width	15.88 mm[.625 in]
Cable Opening Diameter	13.46 x 8.51 mm[.53 x .335 in]

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Operation/Application

For Use With	14-Position Standard Connectors
Circuit Application	Power & Signal

Packaging Features

Packaging Quantity	1
Packaging Method	Bag

Other

Comment	Hardware supplied unassembled.
---------	--------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | AMP M Series



Customers Also Bought



TE Part #1-1393793-4
V23105A5477A201



TE Part #3-2176070-9
3521 390R 1% 2W



TE Part #1-406507-4
IMJ,1X1,P GRD,INSLT,LED(Y/G)SN



TE Part #205165-1
RECEPT ASSY,25 POSN,AMPLIMITE



TE Part #1609078-1
6ESRM-P=F6990



TE Part #66182-1
TYPE III CONTACTS LP



TE Part #201298-1
FEMALE BLOCK 14 PL.



TE Part #201827-1
SERIES "M" JACKSCREW - SPEC. M

Documents

Product Drawings

14 PL. STRAIN RELIEF CLAMP

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_200686-4_L.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_200686-4_L.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_200686-4_L.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

Japanese

Instruction Sheet (U.S.)

English

AMP Strain Relief Clamp for 14, 20, & 26 Position Series "M" Connector

English