

# FASTON | FASTON 250

TE Internal #: 1969507-9

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Flag,


UL 94V-0, White, Nylon, Cable Mount (Free-Hanging), Carton,

FASTON 250

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings











Terminal Type: Receptacle
Housing Type: Receptacle
Number of Positions: 1
Terminal Orientation: Flag

UL Flammability Rating: UL 94V-0

# **Features**

# **Product Type Features**

Product Type	Terminal Housing
Sealable	No
Housing Type	Receptacle
Insulated	No

# **Configuration Features**

Number of Positions	1	
---------------------	---	--

# **Body Features**

#### **Contact Features**

Terminal Type	Receptacle
Terminal Orientation	Flag
Contact Mating Retention	Without

### **Mechanical Attachment**



Mating Alignment	Without
Crimp Terminal Housing Mounting Style	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Nylon
Usage Conditions	
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Carton
Other	
Comment	Glow Wire Version

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



# Compatible Parts





# Also in the Series | FASTON 250
























# Customers Also Bought















# **Documents**

# **Product Drawings**

250 FASTON HSG.,FLAG,REC.,1 POS,NATRUAL

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1969507-9\_B4.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1969507-9\_B4.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1969507-9\_B4.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

MD\_1969507-9\_1208201815\_dmtec

English

MD\_1969507-9\_1208201815\_dmtec

English