

Generation Y Connector System

TE Internal #: 2035360-1 Housing for Female Terminals, Wire-to-Board / Wire-to-Device / Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: .64 mm [.025 in]

Connector System: Wire-to-Board, Wire-to-Device, Wire-to-Wire

Number of Positions: **4**

Centerline (Pitch): 2.54 mm [.1 in]

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Device, Wire-to- Wire

	vvire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	4
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Body Material	PAGF
Primary Product Color	Black
Connector Code	A
Contact Features	
Contact Size	.64mm
Contact Type	Receptacle

C For support call+1 800 522 6752

07/23/2022 11:00AM | Page 1

Housing for Female Terminals, Wire-to-Board / Wire-to-Device / Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System



Mating Tab Width	.64 mm[.025 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	Yes
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Product Width	13.4 mm[.528 in]
Product Length	20.2 mm[.795 in]
Product Height	13.5 mm[.531 in]
Row-to-Row Spacing	6 mm[.236 in]
Jsage Conditions	

Operating Temperature (Max)

70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C

	[158 °F][167 °F][176 °F][185 °F][194 °F][212 ° F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	1200
Packaging Method	Package
Other	
Serviceable	Yes
Connector Position Assurance Capable	No
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

C For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Board / Wire-to-Device / Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Presses Capability	Not applicable for colder process capability


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Housing for Female Terminals, Wire-to-Board / Wire-to-Device / Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System






Also in the Series | Generation Y Connector System





PCB Headers & Receptacles(15)

Customers Also Bought



Housing for Female Terminals, Wire-to-Board / Wire-to-Device / Wire-to-Wire, 4 Position, .1 in [2.54 mm] Centerline, Generation Y Connector System





TE Part #9-2208798-5 6POS,0.64 GENER. Y,REC HSG,ASSY

Documents

Product Drawings 1X4 GENERATION Y ASSY KEY A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2035360-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2035360-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2035360-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets Instruction Sheet (U.S.)

English