1-968318-1 ACTIVE

AMP | MQS

TE Internal #: 1-968318-1


Housing for Female Terminals, Wire-to-Wire / Wire-to-Board / Wireto-Device, 12 Position, .1 in [2.54 mm] Centerline, Black, Signal,

MQS

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MQS, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: .63 mm [.025 in]

Connector System: Wire-to-Board, Wire-to-Device, Wire-to-Wire

Number of Positions: 12

Centerline (Pitch): 2.54 mm [.1 in]

All MQS, CONNECTOR HOUSING (557)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Device, Wire-to- Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Configuration Features	
Number of Positions	12
Number of Rows	2
Body Features	
Cable Exit Angle	Other
Body Material	PBT GF
Primary Product Color	Black
Connector Code	A
Contact Features	
Contact Size	.63mm



Contact Type	Receptacle
Mating Tab Width	.63 mm[.025 in]
Mechanical Attachment	
Mounting Feature	Without
Terminal Position Assurance	Yes
Strain Relief	With
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Product Width	16 mm[.63 in]
Product Length	16.1 mm[.634 in]
Product Height	7.9 mm[.311 in]
Row-to-Row Spacing	5.9 mm[.232 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[158 °F][167 °F][176 ° F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Bag
Other	
Serviceable	No
Connector Position Assurance Capable	No
Product Compliance	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series MQS



Automotive Connector Caps & Covers (132)



Automotive Connector EMC Shielding (2)



Automotive Connector Locks & Position Assurance(29)



Automotive Housings(489)






Automotive Seals & Cavity Plugs(26)



Automotive Terminals(96)




Insertion & Extraction Tools(42)



Other Automotive Connector Accessories(13)




Customers Also Bought




TE Part #7-967288-1 134pos hybrid MQS .63 header 90deg



TE Part #2-968326-1 MQS, CONNECTOR HOUSING



TE Part #144172-1 MODULE 8 POS ASSY



TE Part #2-927768-1

JPT REC 2.8 Contact SRC Au



Documents

Product Drawings
12POS MQS REC COD A

German

CAD Files

Customer View Model ENG_CVM_CVM_1-968318-1_A.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_1-968318-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-968318-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Micro Quadlok Interconnection System (MQS)

English

Product Specifications

STEUERGERATESTECKER 134-POL. MICRO QUADLOCK SYSTEM JUNIOR POWER TIMER

English

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English