2-1318114-6 - ACTIVE

Dynamic Series | Dynamic 2000 Series

TE Internal #: 2-1318114-6 Housing, Housing for Male Terminals, Wire-to-Wire, 12 Position, 2.5 mm [.098 in] Centerline, Crimp, 2 Row, Black, Dynamic 2000 Series View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >

Receptacle and Tab Housing: 2.5 mm pitch, 250V



Connector Product Type: Housing

Connector & Housing Type: Housing for Male Terminals

Connector System: Wire-to-Wire

Number of Positions: 12

Centerline (Pitch): 2.5 mm [.098 in]

All Receptacle and Tab Housing: 2.5 mm pitch, 250V (54)

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	12
Number of Rows	2
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mating Retention	With

2-1318114-6

Housing, Housing for Male Terminals, Wire-to-Wire, 12 Position, 2.5 mm [.098 in] Centerline, Crimp, 2 Row, Black, Dynamic 2000 Series



Connector Mounting Type	Panel Mount
Housing Features	
Centerline (Pitch)	2.5 mm[.098 in]
Housing Color	Black
Dimensions	
Row-to-Row Spacing	3.75 mm[.147 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)

Halogen Content

Solder Process Capability

(224)

Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


2-1318114-6

Housing, Housing for Male Terminals, Wire-to-Wire, 12 Position, 2.5 mm [.098 in] Centerline, Crimp, 2 Row, Black, Dynamic 2000 Series



TE Part # CAT-D9934-A66 Contact: Component To Wire ; 5A, 28-18 wire size, gold plated

Also in the Series | Dynamic 2000 Series





Wire-to-Board Connector Assemblies	Wire-to-Board Connector Contacts(10)
& Housings(54)	

Customers Also Bought



Documents

Product Drawings DYNAMIC D2100 TAB 12P P/M Y

English

CAD Files

3D PDF

3D

2-1318114-6

Housing, Housing for Male Terminals, Wire-to-Wire, 12 Position, 2.5 mm [.098 in] Centerline, Crimp, 2 Row, Black, Dynamic 2000 Series



Customer View Model

ENG_CVM_CVM_2-1318114-6_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-1318114-6_K.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2-1318114-6_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH

Japanese

1-1773732-4_DYNAMIC_SERIES_CATALOG_ENGLISH

English

Product Specifications

Dynamic Connector D-2000 Series

Japanese

Application Specification

Japanese

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals TUV Certificate

English

TUV Certificate

English