

2035334-8 ✓ ACTIVE

Generation Y Connector System

TE Internal #: 2035334-8

Automotive Terminals, Receptacle, Mating Tab Width .64 mm [.025 in], Tab Thickness .025 in [.64 mm], 22 AWG Wire Size, Generation Y Connector System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals



Terminal Type: **Receptacle**

Mating Tab Width: **.64 mm [.025 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **22 AWG**

Features

Product Type Features

Receptacle Style	180°
Sealable	Yes
Primary Locking Feature	Clean Body

Body Features

Terminal Seal Type	Family Seal
--------------------	-------------

Contact Features

Contact Size	.64mm
Contact Fabrication	Stamped & Formed
Typical Current Rating	8 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	.64 mm[.025 in]
Mating Tab Thickness	.64 mm[.025 in]
Interface Plating	Tin (Sn)



Contact Termination Area Plating Material	Tin (Sn)
---	----------

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	.35 mm ²
Wire Size Search	22 AWG
Wire Insulation Diameter	1.1 – 1.4 mm [.043 – .055 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C [176 °F][185 °F] [194 °F][212 °F]
Operating Temperature Range	-40 – 100 °C [-40 – 212 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Agency/Standard	SAE/USCAR-2 / USCAR-21
-----------------	------------------------

Packaging Features

Packaging Method	Reel
Packaging Quantity	10000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 2305570-1 TERMINAL CUTTER, SIDE FEED</p>	 <p>TE Part # 1-2208021-1 22POS,0.64 GENER. Y,REC HSG,ASSY</p>	 <p>TE Part # 1-2208021-2 22POS,0.64 GENER. Y,REC HSG,ASSY</p>	 <p>TE Part # 1-2208021-3 22POS,0.64 GENER. Y,REC HSG,ASSY</p>
 <p>TE Part # 1-2208021-4 22POS,0.64 GENER. Y,REC HSG,ASSY</p>	 <p>TE Part # 1-2287336-1 72POS,MIXED,REC HSG,ASSY</p>	 <p>TE Part # 1-2287336-2 72POS,MIXED,REC HSG,ASSY</p>	 <p>TE Part # 2-2151832-1 OCEAN_2.0_Applicator-S-044F0620</p>
 <p>TE Part # 2-2151832-2 OCEAN_2.0_Applicator-S-044F0620</p>	 <p>TE Part # 2-2266673-1 OCEAN_2.0_APPPLICATOR-S-044F0620</p>	 <p>TE Part # 2-2266673-2 OCEAN_2.0_APPPLICATOR-S-044F0620</p>	 <p>TE Part # 2151832-1 OCEAN_2.0_Applicator-S-044F0620</p>





TE Part # 2151832-2
OCEAN_2.0_Applicator-S-044F0620




TE Part # 2266673-1
OCEAN_2.0_APPPLICATOR-S-044F0620



TE Part # 2266673-2
OCEAN_2.0_APPPLICATOR-S-044F0620



TE Part # 2287277-1
50POS,MIXED,REC HSG,ASSY



TE Part # 2295154-1
22POS,0.64 GENER. Y,REC HSG,ASSY,SLD



TE Part # 2295154-4
22POS,0.64 GENER. Y,REC HSG,ASSY,SLD



TE Part # 7-2151832-1
OCEAN_2.0_Applicator-S-044F0620




TE Part # 7-2151832-2
OCEAN_2.0_Applicator-S-044F0620


Also in the Series | Generation Y Connector System




Automotive Connector Caps & Covers (16)



Automotive Housings(153)



Automotive Terminals(39)



Insertion & Extraction Tools(1)



PCB Headers & Receptacles(15)

Customers Also Bought



TE Part #2-1419158-8
GET .64 CONNECTOR SYSTEM, CONNECTOR HSG



TE Part #1924968-4
Contact, male 0.64, 18 AWG



TE Part #1-1355877-1
AMP MCP 2.8, CONTACT LANCELESS



TE Part #1924968-8
CONTACT, MALE 0.64, 0.35SQMM



TE Part #1438299-2
GET MALE TERM, A, SN



TE Part #2035334-4
Contact, female 0.64, 18 AWG



TE Part #2035334-3
CONTACT, FEMALE 0.64, 20 TO 22
AWG



TE Part #2-2208018-1
22POS, 0.64 MALE GEN. Y, PIN HSG,
ASSY



TE Part #2035077-1
PLUG HSG, 4 POSN HYBRID 0.64/2.8

Documents

Product Drawings

[CONTACT, FEMALE 0.64 ,20.35SQMM](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2035334-8_D.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2035334-8_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2035334-8_D.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_2035334-8_10032016736_dmtec](#)

English

[MD_2035334-8_10032016736_dmtec](#)

English

2035334-8

Automotive Terminals, Receptacle, Mating Tab Width .64 mm [.025 in], Tab Thickness .025 in [.64 mm], 22 AWG Wire Size, Generation Y Connector System

