TE Internal #: 2-292236-2

Connector Assembly, Receptacle, Wire-to-Wire, 22 Position, 1.5 mm [.059 in] Centerline, Crimp/IDC, 2 Row, Black, Wire & Cable,

Signal, Panel Mount

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings > MINI CT DRAWER RECEPTACLE HOUSINGS



Connector Product Type: Connector Assembly

Connector & Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 22

Centerline (Pitch): 1.5 mm [ .059 in ]

All MINI CT DRAWER RECEPTACLE HOUSINGS (16)

## **Features**

# **Product Type Features**

Connector Product Type	Connector Assembly
Connector & Housing Type	Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	22
Number of Rows	2
Contact Features	
Contact Current Rating (Max)	1 A

# **Termination Features**

Termination Method to Wire & Cable	Crimp/IDC	

### **Mechanical Attachment**

Mating Retention	Without
Connector Mounting Type	Panel Mount



### **Housing Features**

Centerline (Pitch)	1.5 mm[.059 in]
Housing Color	Black
Dimensions	
Row-to-Row Spacing	4 mm[.157 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	

Loose Piece

# **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



# Compatible Parts



# Customers Also Bought

















## **Documents**

## **Product Drawings**

1.5 MINI CT DRAWER 22P REC

English

## **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-292236-2\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-292236-2\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-292236-2\_B.3d\_stp.zip

Connector Assembly, Receptacle, Wire-to-Wire, 22 Position, 1.5 mm [.059 in] Centerline, Crimp/IDC, 2 Row, Black, Wire & Cable, Signal, Panel Mount



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Low Power Drawer Connectors QRG

English

**Product Specifications** 

**Product Specification** 

English