

### RAST | RAST 5 IDC Connectors

TE Internal #: 1971846-2 PCB Mount Header, Vertical, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Fully Shrouded, Silver, Through Hole - Solder, RAST 5 IDC Connectors

#### View on TE.com >

#### Connectors > PCB Connectors > PCB Headers & Receptacles



Connector System: Wire-to-Board

Number of Positions: 2

Number of Rows: 1

Centerline (Pitch): 5 mm [.197 in ]

PCB Mount Orientation: Vertical

## Features

connectivity

## Product Type Features

Connector System	Wire-to-Board			
Header Type	Fully Shrouded			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
PCB Connector Assembly Type	PCB Mount Header			
Configuration Features				
Keying & Polarized Position Locations	1C, 2D			
Number of Positions	2			
Number of Rows	1			
PCB Mount Orientation	Vertical			
Electrical Characteristics				
Operating Voltage	250 VAC			
Body Features				
Primary Product Color	Natural			

**C** For support call+1 800 522 6752

PCB Mount Header, Vertical, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Fully Shrouded, Silver, Through Hole - Solder, RAST 5 IDC Connectors



## **Contact Features**

PCB Contact Termination Area Plating Material Thickness	3.8 μm[149.6 μin]
Mating Tab Width	6.3 mm[.248 in]
Mating Tab Thickness	.8 mm[.032 in]
Contact Mating Area Plating Material Thickness	1 μm[39.37 μin]
PCB Contact Termination Area Plating Material Finish	Matte
Contact Shape & Form	Square
Contact Mating Area Plating Material Finish	Matte
PCB Contact Termination Area Plating Material	Silver
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material	Silver
Contact Type	Tab
Contact Type Contact Current Rating (Max)	Tab 16 A
Contact Current Rating (Max)	
Contact Current Rating (Max) Termination Features	16 A
Contact Current Rating (Max) Termination Features Square Termination Post & Tail Dimension	16 A .8 mm[.032 in]

# Mechanical Attachment

PCB Mount Alignment Type	Polarizing Pegs			
Mating Alignment Type	Keyed			
Mating Retention	With			
Mating Retention Type	Latch			
Connector Mounting Type	Board Mount			
Mating Alignment	With			
PCB Mount Alignment	With			
PCB Mount Retention	Without			
Housing Features				
Housing Material	Nylon			
Centerline (Pitch)	5 mm[.197 in]			
Dimensions				
Connector Length	17.3 mm[.68 in]			
Connector Height	12.8 mm[.5 in]			

PCB Mount Header, Vertical, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Fully Shrouded, Silver, Through Hole - Solder, RAST 5 IDC Connectors



Row-to-Row Spacing	2.5 mm
Usage Conditions	
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	153
Packaging Type	Box, Tube
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)

(224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

**S** For support call+1 800 522 6752


PCB Mount Header, Vertical, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Fully Shrouded, Silver, Through Hole - Solder, RAST 5 IDC Connectors









# Also in the Series | RAST 5 IDC Connectors




PCB Mount Header, Vertical, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Fully Shrouded, Silver, Through Hole - Solder, RAST 5 IDC Connectors







# Customers Also Bought



TE Part #5-1393211-3 T92P11D22-12	TE Part #292161-4 CT P/HDR ASSY V 4P W/KINK NAT	TE Part #1-1879453-3 Wirewound Resistor: Mineral, 2.5 Kw	TE Part #280379-1 6P AMPMODU II SHRD HDR, RT ANG, TIN
TE Part #2-1445050-3 MICRO MNL HDR ASSY S/ROW LF	TE Part #1971845-3 3P, RAST 5 Tab Header, THV	TE Part #2-1445050-4 MICRO MNL HDR ASSY S/ROW LF	TE Part #1-1971845-6 6P, RAST 5 Tab Header, THV



## Documents

PCB Mount Header, Vertical, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Fully Shrouded, Silver, Through Hole - Solder, RAST 5 IDC Connectors



**Product Drawings** 2P, RAST 5 Tab Header, THV English **CAD** Files 3D PDF 3D **Customer View Model** ENG\_CVM\_CVM\_1971846-2\_B\_c-1971846-2-b.2d\_dxf.zip English Customer View Model ENG\_CVM\_CVM\_1971846-2\_B\_c-1971846-2-b.3d\_igs.zip English **Customer View Model** ENG\_CVM\_CVM\_1971846-2\_B\_c-1971846-2-b.3d\_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use Datasheets & Catalog Pages 7-1773465-5 RAST5.0 Flyer

English

Product Specifications Product Specification

English

## Product Environmental Compliance

**Product Compliance** 

English

**Product Compliance** 

English

Agency Approvals VDE Certificate

English