TE Internal #: 2-487406-2

FFC Contacts, Cable-to-Cable, 2.54 mm [.1 in] Centerline, FFC, Socket, Gold Flash/Palladium Nickel or Gold/Nickel, Reel,

Insulation Displacement (IDC)

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Contacts >

2.54mm FFC Connectors Socket Contacts











Connector System: Cable-to-Cable Centerline (Pitch): 2.54 mm [ .1 in ]

Compatible With Wire & Cable Type: FFC

Contact Type: Socket

Contact Mating Area Plating Material: Gold Flash/Palladium Nickel or Gold/Nickel

All 2.54mm FFC Connectors Socket Contacts (35)

### **Features**

## **Product Type Features**

Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Compatible With Wire & Cable Type	FFC
Contact Features	

#### Contact Features

	15 μin
PCB Contact Termination Area Plating Material	Gold Flash
Contact Base Material	Phosphor Bronze
Contact Type	Socket
Contact Mating Area Plating Material	Gold Flash/Palladium Nickel or Gold/Nickel
Contact Current Rating (Max)	2 A



#### **Termination Features**

Termination Method to Wire & Cable	Insulation Displacement (IDC)
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Accepts Conductor Width	1.27 mm[.05 in]
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Reel

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts















# Customers Also Bought





### **Documents**

**Product Drawings** 

FFC,RCPT CONTACT,STD PRESSURE

English

### **CAD Files**

Customer View Model ENG\_CVM\_CVM\_2-487406-2\_AV.2d\_dxf.zip

English

3D PDF

3D



**Customer View Model** 

ENG\_CVM\_CVM\_2-487406-2\_AV.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-487406-2\_AV.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### **Product Specifications**

**Application Specification** 

English

**Application Specification** 

English

**Product Environmental Compliance** 

MD\_2-487406-2\_040220182343\_dmtec

English

MD\_2-487406-2\_040220182343\_dmtec

English

**Instruction Sheets** 

Instruction Sheet (U.S.)

English

**Extraction Tools** 

English