2-173983-3 - ACTIVE

AMP-IN

TE Internal #: 2-173983-3 PCB Mount One-Piece IDC Connector, Horizontal, Wire-to-Board, 3 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole -Solder

View on TE.com >

Connectors > PCB Connectors > Board-In Connectors



PCB Connector Assembly Type: PCB Mount One-Piece IDC Connector

PCB Mount Orientation: Horizontal

Connector System: Wire-to-Board

Number of Positions: 3

Centerline (Pitch): 2 mm [.079 in]

Features

Product Type Features

PCB Connector Assembly Type

Connector System

Connector & Contact Terminates To

PCB Mount One-Piece IDC Connector

Wire-to-Board

Printed Circuit Board, Wire & Cable



Configuration Features

PCB Mount Orientation	Horizontal
Number of Positions	3
Compatible With Wire & Cable Type	Discrete Wire
Number of Rows	1
Electrical Characteristics	
Operating Voltage	125 VAC
Body Features	
Primary Product Color	Cream Yellow
Contact Features	
Contact Layout	Inline
Contact Shape & Form	Tuning Fork
PCB Contact Termination Area Plating Material	Pre-Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	2 A

C For support call+1 800 522 6752

2-173983-3

PCB Mount One-Piece IDC Connector, Horizontal, Wire-to-Board, 3 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole - Solder



Termination Features

Termination Post & Tail Length	3.5 mm[.138 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
PCB Mount Alignment Type	Polarized Lock
PCB Mount Retention Type	Kinked Legs
PCB Mount Alignment	Without
PCB Mount Retention	With
Housing Features	
Centerline (Pitch)	2 mm[.079 in]
Housing Material	PBT GF
Dimensions	
Connector Height	4 mm[.157 in]
PCB Thickness (Recommended)	.8 mm[.031 – .063 in]
Usage Conditions	
Operating Temperature Range	-30 – 105 °C[-30 – 105 °F]
Operation/Application	
Assembly Process Feature	Pick and Place Cover
Circuit Application	Signal
Industry Standards	
Approved Standards	CSA LR7189, UL E28476
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	360
Packaging Type	Box, Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

2-173983-3

PCB Mount One-Piece IDC Connector, Horizontal, Wire-to-Board, 3 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole - Solder



EU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2022
(224)
Candidate List Declared Against: JAN 2022
(223)
SVHC > Threshold:
Not Yet ReviewedHalogen ContentNot Low Halogen - contains Br or Cl > 900
ppm.Solder Process CapabilityNot applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



2-173983-3

PCB Mount One-Piece IDC Connector, Horizontal, Wire-to-Board, 3 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole - Solder





Documents

Product Drawings AMP CT MT AMP-IN HDR-H YEL 3P

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_2-173983-3_F.3d_igs.zip

English

Customer View Model

ENG_CVM_2-173983-3_F.3d_stp.zip

English

Customer View Model

ENG_CVM_2-173983-3_F.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets MINI PRESS CT CONNECTOR (WAS IS-553J)

Japanese

Instruction Sheet (non U.S.)

Japanese