

### Buchanan

TE Internal #: 1986484-3 PCB Terminal Blocks, Plug, Wire-to-Board, 3 Position, .2 in [5.08 mm] Centerline, 1 Row, Side / Top Wire Entry Angle, 24 – 14 AWG Wire Size

View on TE.com >

Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



## Terminal Block Connector Type: Plug

Connector System: Wire-to-Board

Number of Positions: 3

Centerline (Pitch): 5.08 mm [.2 in]

Number of Rows: 1

### Features

## Product Type Features

Wire Protection	With
Block Type	Stacking Plug
Terminal Block Connector Type	Plug



Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Stacking Configuration	Side Stackable
Number of Positions	3
Number of Rows	1
Wire Entry Angle	Side, Top
Electrical Characteristics	
Current Rating (Max)	16 A
Voltage Rating	300 VAC
Body Features	
Interlock	Without
Contact Features	
Contact Mating Area Plating Material	Tin
Contact Base Material	Phosphor Bronze

### 1986484-3

PCB Terminal Blocks, Plug, Wire-to-Board, 3 Position, .2 in [5.08 mm] Centerline, 1 Row, Side / Top Wire Entry Angle, 24 – 14 AWG Wire Size



Contact Current Rating (Max)	16 A
Mechanical Attachment	
Screwless Terminal Block	No
Mounting Angle	Vertical
Screw Plating Material	Zinc
Screw Material	Steel
Screw Flange	Without
Housing Features	
Housing Color	Green
Housing Material	PA 66
Centerline (Pitch)	5.08 mm[.2 in]
Dimensions	
Wire Size	.2 – 2 mm²
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal

## Packaging Features

Packaging Method	Bag
Packaging Quantity	400
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

### 1986484-3

PCB Terminal Blocks, Plug, Wire-to-Board, 3 Position, .2 in [5.08 mm] Centerline, 1 Row, Side / Top Wire Entry Angle, 24 – 14 AWG Wire Size



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# **Customers Also Bought**



## Documents

#### **Product Drawings**

**C** For support call+1 800 522 6752

### 1986484-3

PCB Terminal Blocks, Plug, Wire-to-Board, 3 Position, .2 in [5.08 mm] Centerline, 1 Row, Side / Top Wire Entry Angle, 24 – 14 AWG Wire Size



#### Plug, 5.08mm, Gn, Ss & WE same side, 3p

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_1986484-3\_A.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1986484-3\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1986484-3\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773458-1\_EURO\_STYLE\_TERMINAL\_BLOCKS\_QRG

English