# 1969825-4 ✓ ACTIVE

### **Economy Power 2.5**

TE Internal #: 1969825-4

PCB Latches, Locks & Retainers, TPA (Terminal Position Assurance), Wire-to-Board, 4 Position, .098 in [2.5 mm] Centerline, Economy

Power 2.5

View on TE.com >



Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Hardware > PCB Latches, Locks & Retainers











Connector & Contact Retention Accessory Type: TPA (Terminal Position Assurance)

Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 2.5 mm [ .098 in ]

Connector & Contact Terminates To: Wire & Cable

#### **Features**

## **Product Type Features**

Connector & Contact Retention Accessory Type	TPA (Terminal Position Assurance)
Connector System	Wire-to-Board
Connector & Contact Terminates To	Wire & Cable

## **Configuration Features**

Number of Positions	4	
Number of Rows	1	

## **Body Features**

Primary Product Material	Nylon GF
Primary Product Color	Black

## **Housing Features**

Centerline (Pitch)	2.5 mm[.098 in]
Control (Creative	2.6[.676]

#### **Dimensions**

.457 in	



Product Length	9.3 mm[.366 in]
Product Height	5.4 mm[.21 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
Packaging Features	
Packaging Quantity	1000
Packaging Method	Bag

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**







EP 2.5 TPA Retainer, 3 Pos



TE Part # 1969443-5 EP 2.5 TPA Retainer, 5 Pos





EP 2.5 TPA Retainer, 2 Pos













## Also in the Series | Economy Power 2.5








PCB Latches, Locks & Retainers(49)




Insertion & Extraction Tools(1)





& Housings(216)



Customers Also Bought





TE Part #5-1971876-3
POWER TRIPLE LOCK HIGH TEMP
PLUG



TE Part #1971785-2 PTL RECEPTACLE CONTACT, 20 - 24 AWG



TE Part #1971778-3
PTL TPA HIGH TEMP 2 x 3 BLACK



TE Part #1969442-4
EP 2.5 TPA Housing, 4 Pos



TE Part #1-176282-1 AMP UNIVERSAL POWER CAP 2P



TE Part #2238007-1 TERMINAL, PIN, LANCELESS, 22-26 AWG, EP2



TE Part #1742626-1 250 FASTON,FLAG,REC.,16-14 AWG, NPST



TE Part #1-1969442-1 EP 2.5 TPA Housing, 11 Pos



## **Documents**

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1969825-4\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1969825-4\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1969825-4\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## **Product Specifications**

**Application Specification** 

English

**Product Environmental Compliance** 

PCB Latches, Locks & Retainers, TPA (Terminal Position Assurance), Wire-to-Board, 4 Position, .098 in [2.5 mm] Centerline, Economy Power 2.5



MD\_1969825-4\_042020172236\_dmtec

English

MD\_1969825-4\_042020172236\_dmtec

English

Agency Approvals

**VDE Certificate** 

English