


**Data sheet | Item number: 216-207**

Ferrule; Sleeve for 4 mm<sup>2</sup> / AWG 12; insulated; electro-tin plated; gray

[www.wago.com/216-207](http://www.wago.com/216-207)



**Data**

**Technical data**

Main product function	Ferrule
Sleeve cross-section (AWG)	12 AWG

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Sleeve for	4 mm <sup>2</sup>
------------	-------------------

**Connection data**

Strip length	12 mm / 0.47 inch
--------------	-------------------

**Physical data**

Length	18 mm
--------	-------

Length 1	10 mm
----------	-------

Diameter	5.4 mm
----------	--------

Diameter 1	4.8 mm
------------	--------

Diameter 2	2.8 mm
------------	--------

**Material data**

Color	gray
-------	------

Fire load	0.003 MJ
-----------	----------

Weight	0.3 g
--------	-------

**Commercial data**

Product Group	2 (Terminal Block Accessories)
---------------	--------------------------------

PU (SPU)	1000 (100) Stück
----------	------------------

Packaging type	box
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4017332277525
------	---------------

Customs tariff number	85369010000
-----------------------	-------------

**Downloads****Documentation****Bid Text**

216-207 X81 - Datei	2019 Feb 19	xml 2.9 kB	Download
------------------------	-------------	---------------	----------

216-207 doc - Datei	2017 Sep 11	doc 24.1 kB	Download
------------------------	-------------	----------------	----------

Subject to changes. Please also observe the further product documentation!


## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 216-207	URL	Download
Ferrule; Sleeve for 4 mm <sup>2</sup> / AWG 12; insulated; electro-tin plated; gray		

---

## Installation Notes



A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!