

AMP | AMPSEAL 16

TE Internal #: 2138852-3

Other Automotive Connector Accessories, Mounting Clip, PBT GF,

Black, -55 - 125 °C [-67 - 257 °F], AMPSEAL 16

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories > AMPSEAL 16 HYBRID LEVER MOUNTING



Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: PBT GF
Primary Product Color: Black

Operating Temperature Range: -55 - 125 °C [-67 - 257 °F]

All AMPSEAL 16 HYBRID LEVER MOUNTING (3)

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip
Body Features	
Primary Product Material	PBT GF
Primary Product Color	Black
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Industry Standards	
UL Flammability Rating	None
Packaging Features	
Packaging Quantity	1
Packaging Method	Bulk
Other	
Serviceable	No



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | AMPSEAL 16





Automotive Connector Caps & Covers (85)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(241)



Automotive Seals & Cavity Plugs(4)



Automotive Terminals(33)



Data Connectivity Housings(3)



Other Automotive Connector Accessories(11)



PCB Headers & Receptacles(3)

Customers Also Bought



TE Part #2138839-1 PLUG ASSY, 28 POS, KEY A, AMPSEAL 16 HL



TE Part #DT04-4P-E008

DEUTSCH DT Series Housings &

Connectors



TE Part #112264-ZZ LOCKWASHER, SIZE 24, HD30



TE Part #114017-ZZ SEALING PLUG, SIZE 12/16, WHT



TE Part #2-34112-2 SOLIS R 22-16COMM 22-18MIL 10




TE Part #34846 SHUR-PLUG,16-14



TE Part #770105-1 15P .093 COMM P&S RECPT





Documents



Product Drawings

MOUNTING CLIP, 3MM PANEL, AMPSEAL 16 HL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2138852-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2138852-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2138852-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English