# 211159-1 ~ ACTIVE

### AMPLIMITE

TE Internal #: 211159-1 D-Sub Connector Contacts, Pin, Size 8, Copper Alloy, Gold, Crimp, 8 AWG Wire Size, 8 mm<sup>2</sup> Wire Size, Wire & Cable, 32 A, Power View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connector Contacts



Contact Type: Pin D-Sub Contact Size: 8 Contact Base Material: Copper Alloy Contact Mating Area Plating Material: Gold Termination Method to Wire & Cable: Crimp

# Features

## Product Type Features

Product Type

Connector & Contact Terminates To

## **Contact Features**

Contact

Wire & Cable

50 µin

	ου μπ		
Pin Diameter	.14 mm		
Contact Style	Standard		
Contact Underplating Material	Nickel		
PCB Contact Termination Area Plating Material	Gold		
Contact Type	Pin		
D-Sub Contact Size	8		
Contact Base Material	Copper Alloy		
Contact Mating Area Plating Material	Gold		
Contact Current Rating (Max)	32 A		
Termination Features			
Termination Post Length	.23 mm		
Termination Method to Wire & Cable	Crimp		
Dimensions			
Post Diameter	.2 mm		
Wire Size	8 mm <sup>2</sup>		

**C** For support call+1 800 522 6752

## 211159-1

D-Sub Connector Contacts, Pin, Size 8, Copper Alloy, Gold, Crimp, 8 AWG Wire Size, 8 mm<sup>2</sup> Wire Size, Wire & Cable, 32 A, Power



### **Usage Conditions**

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]		
Operation/Application			
High Current	No		
Circuit Application	Power		
Packaging Features			
Packaging Quantity	100		
Packaging Method	Bag		
Other			
Comment	Use these contacts only with the Standard connectors. Do not use with Blindmate connectors.		
Product Compliance For compliance documentation, visit the product page on TE.com>			

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Thresh

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (4% in Contact/Component) Aticle Safe Usage Statements Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

# 211159-1

D-Sub Connector Contacts, Pin, Size 8, Copper Alloy, Gold, Crimp, 8 AWG Wire Size, 8 mm<sup>2</sup> Wire Size, Wire & Cable, 32 A, Power



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Customers Also Bought





TE Part #AAB1789-00 91H1-13-12-2-Z-HE300

## Documents

Product Drawings PIN CONTACT ASSY

English

**S** For support call+1 800 522 6752

## 211159-1

D-Sub Connector Contacts, Pin, Size 8, Copper Alloy, Gold, Crimp, 8 AWG Wire Size, 8 mm<sup>2</sup> Wire Size, Wire & Cable, 32 A, Power



### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_211159-1\_AM.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_211159-1\_AM.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_211159-1\_AM.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

Product Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals Agency Approval Document English