

AMP | LEAVYSEAL TE Internal #: 2112046-1 Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Board / Wire-to-Device, LEAVYSEAL

View on TE.com >

E TE connectivity

Connectors > Automotive Connectors > Connector Accessories > Connector Caps & Covers > LEAVYSEAL BACKSHELLS



Protection & Strain Relief Accessory Type: Cover - Cable Exit Cable Exit Angle: 90° (Right Angle) Strain Relief: Without

Primary Product Color: Black

Primary Product Material: PA GF

All LEAVYSEAL BACKSHELLS (13)

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit					
Connector System	Wire-to-Board, Wire-to-Device					
Configuration Features						
Number of Positions	26					
Body Features						
Cable Exit Angle	90° (Right Angle)					
Primary Product Color	Black					
Primary Product Material	PA GF					
Mechanical Attachment						
Strain Relief	Without					
Dimensions						
Compatible Cable Bundle Diameter Range	26 mm[1.024 in]					

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Board / Wire-to-Device, LEAVYSEAL



Usage Conditions

Compatible With Connector Style	Housing For Female Terminals, Housing For Male Terminals					
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 ° C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F] [284 °F]					
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]					
Industry Standards						
UL Flammability Rating	UL 94V-0					
Packaging Features						
Packaging Quantity	300					
Packaging Method	Box					
Other						
Serviceable	Yes					

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant			
EU ELV Directive 2000/53/EC	Compliant			
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed			
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free			
Solder Process Capability	Not applicable for solder process capability			
Product Compliance Disclaimer				


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Board / Wire-to-Device, LEAVYSEAL



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | LEAVYSEAL






PCB Headers & Receptacles(13)

Customers Also Bought



Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Board / Wire-to-Device, LEAVYSEAL





Documents

Product Drawings COVER,90,FOR 26POS

English

CAD Files **Customer View Model** ENG_CVM_CVM_2112046-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2112046-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2112046-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German

Automotive Connector Caps & Covers, Cover - Cable Exit, Cable Exit Angle 90° (Right Angle), Black, PA GF, Wire-to-Board / Wire-to-Device, LEAVYSEAL

