



Connectors > PCB Connectors > SAS & MiniSAS



SAS Connector Type: **SAS**

Connector & Housing Type: **Receptacle**

Connector System: **Wire-to-Board**

Number of Positions: **29**

Number of Rows: **1**

Features

Product Type Features

SAS Connector Type	SAS
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	29
Number of Rows	1
Number of Ports	1
PCB Mount Orientation	Vertical

Contact Features

Contact Current Rating (Max)	.5 A, 1.5 A
------------------------------	-------------

Termination Features

Termination Method to Printed Circuit Board	Surface Mount
---	---------------

Mechanical Attachment



Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	.8 mm, 1.27 mm [.031 in] [.05 in]
--------------------	-----------------------------------

Usage Conditions

Operating Temperature Range	0 – 55 °C [32 – 131 °F]
-----------------------------	-------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

PCIe/SAS Generation	Gen3
---------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CAT-IN819-C76264
Internal Mini-SAS HD Receptacles



TE Part # 2820328-1
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820328-2
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820328-3
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820328-4
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820332-1
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A



TE Part # 2820332-2
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A



TE Part # 2820332-3
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A



TE Part # 2820332-4
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A



TE Part # 2820350-1
C/A, INTERNAL HD MINI SAS, 100 OHM, STR



TE Part # 2820350-2
C/A, INTERNAL HD MINI SAS, 100 OHM, STR



TE Part # 2820350-3
C/A, INTERNAL HD MINI SAS, 100 OHM, STR



TE Part # 2820350-4
C/A, INTERNAL HD MINI SAS, 100 OHM, STR




TE Part # 2820329-1
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A




TE Part # 2820329-2
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820329-3
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820329-4
C/A, INTERNAL HD MINI SAS, 100 OHM, R/A



TE Part # 2820333-1
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A




TE Part # 2820333-2
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A



TE Part # 2820333-3
C/A, INTERNAL HD MSAS, 100 OHM, STR-R/A

Customers Also Bought




TE Part #5084616-3
0.8FH,R13H.5,080,08/Sn,TR,SC



TE Part #2057630-1
CFP Receptacle Conn Assy



TE Part #1982299-4
ELCON MINI 2P CABLE CONN,W/O CODING



TE Part #1-338088-6
8/8 INV.MOD.JACK



TE Part #2057626-1
CFP External Bracket Assy



TE Part #2057930-1
CFP Backer Plate Assy




TE Part #2057631-1
CFP Receptacle Cover Assy



TE Part #2057592-2
CFP Guide Rail



TE Part #5413986-1
BNC PCB VERTICAL,75 OHM



TE Part #2227580-3
1X1 R/A ASSY, MINI SAS HD INTERNAL

Documents

Product Drawings

12G SAS RECEPTACLE, 29 POS

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2170563-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2170563-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2170563-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English

Product Environmental Compliance

[MD_2170563-1_090220141252_dmtec](#)

English

[MD_2170563-1_090220141252_dmtec](#)

English