TE Internal #: 2137299-6

Housing for Female Terminals, Wire-to-Board, 32 Position, .145 in / .

098 in [3.7 mm / 2.5 mm] Centerline, Sealable, Black, Wire & Cable

View on TE.com >



Connectors > Automotive Connectors > Connector Housings











Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: .63 mm, 1.5 mm [.024 in, .059 in]

Connector System: Wire-to-Board

Number of Positions: 32

Centerline (Pitch): 2.5 mm, 3.7 mm [.098 in, .145 in]

Features

Product Type Features

Troduct Type Features	
Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board
Sealable	Yes
Hybrid Connector	Yes
Primary Locking Feature	Clean Body
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	32
Number of Rows	4
Body Features	
Body Material	PA

Black

Contact Features

Connector Code

Primary Product Color



Contact Size	.64mm, 1.5mm
Contact Type	Receptacle
Mating Tab Width	.63 mm, 1.5 mm[.024 in][.059 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.5 mm, 3.7 mm[.098 in][.145 in]
Usage Conditions	
Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	120
Packaging Method	Bag
Other	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: DEC 2011 (71) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts










TE Part # 2050013-2 SHORT RETAINER FOR 64P MQS CONNECTOR

Customers Also Bought













TE Part #1-2301238-1 DTB PLUG HSG ASSY, 49POSN., FAKRA TYPE

TE Part #2296537-2 REM MONO1.2 TERMINAL TE Part #2298631-1 48POS,HYBRID,TAB HSG ASSY, UNSLD,COD A



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2137299-6_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2137299-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2137299-6_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

English