TE Internal #: 2305390-1

PCB Mount Header, Horizontal, Wire-to-Board, 10 Position, .071 in

/ .307 in [7.8 mm / 1.8 mm] Centerline, Fully Shrouded, Tin (Sn)


View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles











Connector System: Wire-to-Board

Number of Positions: 10

Centerline (Pitch): 1.8 mm, 7.8 mm [.071 in, .307 in]

Sealable: Yes

PCB Mount Orientation: Horizontal

Features

Product Type Features

Connector & Housing Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Board
Sealable	Yes
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Sections	5
Number of Positions	10
PCB Mount Orientation	Horizontal
Number of Rows	1
Electrical Characteristics	
Operating Voltage	60 VDC
Body Features	

Black

Primary Product Color



Connector Code		A
Contact Features		

Contact	Features

Contact Size	.5mm
Contact Type	Tab
Mating Tab Width	.5 mm[.019 in]
Mating Tab Thickness	.4 mm[.016 in]
Contact Mating Area Plating Material	Tin (Sn)
Contact Current Rating (Max)	3 A

Termination Features

Termination Method to Printed Circuit Board Inrough Hole - Solder		Termination Method to Printed Circuit Board	Through Hole - Solder	
---	--	---	-----------------------	--

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Board Mount

Housing Features

Centerline (Pitch)	1.8 mm, 7.8 mm[.071 in][.307 in]

Usage Conditions

Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]

Operation/Application

Circuit Application	Signal	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # 2304375-1 NANOMQS,SOLDER,SHIELD

TE Part # 2304375-2 NANOMQS,SOLDER,SHIELD

Customers Also Bought

Α



TE Part #1977223-6
FSM2JSMAASTR=6MM TACT
SWITCH,



TE Part #2304372-1 1-PORT MATENET HDR ASSY 90DEG, COD A




TE Part #5677644002 RNF-3000-6/2-2-SP



025/090 CAP ASSY 50P













TE Part #6-1415005-4 V23086C1002A803-EV-BLBOX

Documents

Product Drawings

5-PORT MATENET HDR ASSY 90DEG, COD A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2305390-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2305390-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2305390-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English