

### AMP | LEAVYSEAL

TE Internal #: 2236721-1

Other Automotive Connector Accessories, Alignment Plate, Wireto-Wire, PBT GF, Black, 39 / 62 Position, -40 – 120 °C [-40 – 248 °F],

LEAVYSEAL

View on TE.com >



Connectors > Automotive Connectors > Connector Accessories > Other Connector Accessories > LEAVYSEAL MOUNTING ACCESSORIES











Automotive Connector Accessory Type: Alignment Plate

Connector System: Wire-to-Wire
Primary Product Material: PBT GF
Primary Product Color: Black
Number of Positions: 39, 62

All LEAVYSEAL MOUNTING ACCESSORIES (8)

### **Features**

#### **Product Type Features**

Automotive Connector Accessory Type	Alignment Plate
Connector System	Wire-to-Wire
Configuration Features	
Number of Positions	39, 62
Body Features	
Primary Product Material	PBT GF
Primary Product Color	Black
Usage Conditions	
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Industry Standards	

UL 94HB

### **Packaging Features**

**UL Flammability Rating** 



Packaging Quantity	120	
Packaging Method	Box	
Other		
Serviceable	Yes	

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)  Candidate List Declared Against: JUNE 2022 (224)  SVHC > Threshold:  Octamethylcyclotetrasiloxane (D4) (.11% in Component Part)  Dodecamethylcyclohexasiloxane (D6) (.11% in Component Part)  Decamethylcyclopentasiloxane (D5) (.11% in Component Part)  Article Safe Usage Statements:  Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





TE Part # CAT-L489-CH8172 LEAVYSEAL HOUSINGS



## Also in the Series | LEAVYSEAL



Automotive Connector Caps & Covers (16)



Automotive Housings(64)



Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(13)

# Customers Also Bought



TE Part #1670364-1 COVER,180 GROUP C



TE Part #1703810-6 Heavy Duty Sealed Connector Series Fixing Slides



TE Part #1-1418480-1
7 POS MIXED REC HSG CODA



TE Part #10131357-00 QLS3854 H388/260 RB D4 JCB EART M C1

TE Part #825-066-101 405mm AM/ FM/ DAB ANTENNA ROD TE Part #87780-000 PSS-X1005B PROXIMITY SENSOR TE Part #87805-000 PSS-X1379B WITH BRACKET Other Automotive Connector Accessories, Alignment Plate, Wire-to-Wire, PBT GF, Black, 39 / 62 Position, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL



TE Part #920-062-209 GPS 1890 LP/S/FAKRA/3.0

### **Documents**

### **Product Drawings**

ADAPTER, FOR TAB HOUSING, ASSY

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2236721-1\_A\_c-2236721-1-a.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2236721-1\_A\_c-2236721-1-a.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2236721-1\_A\_c-2236721-1-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

**CONNECTOR SELECTOR** 

English

**Product Specifications** 

**Application Specification** 

German