

### Buchanan

TE Internal #: 282828-4


PCB Terminal Blocks, Header, Wire-to-Board, 4 Position, .4 in [10.16 mm] Centerline, 1 Row, 30 – 12 AWG Wire Size, .05 – 3 mm<sup>2</sup> Wire

Size, 15 A

View on TE.com >



Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



Terminal Block Connector Type: Header

Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 10.16 mm [ .4 in ]

Number of Rows: 1

## **Features**

## **Product Type Features**

Block Type	PCB Mount
Header Type	Fully Shrouded
Terminal Block Connector Type	Header
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

## **Configuration Features**

Threaded Flange	Without
Closed End	With
Number of Positions	4
Number of Rows	1

## **Electrical Characteristics**

Current Rating (Max)	15 A
Voltage Rating	600 VAC

## **Body Features**



Interlock	Without
Contact Features	
Contact Mating Area Plating Material	Tin
Contact Mount	Through Hole
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	15 A
Mechanical Attachment	
Mating Angle	180°
Screwless Terminal Block	No
Mounting Angle	Vertical
Screw Flange	Without
Connector Mounting Type	Board Mount
Housing Features	
Housing Color	Green
Housing Material	PA 66
Centerline (Pitch)	10.16 mm[.4 in]
Dimensions	
PCB Tail Length	3.5 mm[.138 in]
Wire Size	$.05 - 3 \text{ mm}^2$
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	100

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2022

(224)

Candidate List Declared Against: JUL 2019

(201)

SVHC > Threshold:

Not Yet Reviewed

Halogen Content Not Yet Reviewed for halogen content

Solder Process Capability Wave solder capable to 240°C

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts









# **Customers Also Bought**











TE Part #2-1977223-6
FSM8JSMAASTR=6MM TACT
SWITCH, SMT 260gf,

## **Documents**

### **Product Drawings**

TERMI-BLOK HEADER, ASSY90 4P.

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_282828-4\_D\_c-282828-4-d.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_282828-4\_D\_c-282828-4-d.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_282828-4\_D\_c-282828-4-d.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS** 

English

**BUCHANAN PCB TERMINAL BLOCKS** 

English

1-1773458-1\_EURO\_STYLE\_TERMINAL\_BLOCKS\_QRG

English

**Product Specifications** 

**Application Specification** 

English

**Product Environmental Compliance** 

**Product Compliance** 

English

**Product Compliance** 

English

PCB Terminal Blocks, Header, Wire-to-Board, 4 Position, .4 in [10.16 mm] Centerline, 1 Row, 30 – 12 AWG Wire Size, .05 – 3 mm² Wire Size, 15 A

