

MCON Interconnection System

TE Internal #: 2289523-2

Housing for Female Terminals, Wire-to-Wire, 2 Position, .157 in [4 mm] Centerline, Blue, Signal, MCON Interconnection System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MCON, CONNECTOR HOUSING











Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1.2 mm [.047 in]

Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 4 mm [.157 in]

All MCON, CONNECTOR HOUSING (283)

Features

Product Type Features

Connector & Housing Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Wire
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	2
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Body Material	PA
Primary Product Color	Blue



3
-

Contact Features

Contact Size	1.2mm
Contact Type	Receptacle
Mating Tab Width	1.2 mm[.047 in]

Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Contarling (Pitch)	1 mm[157 in]
Centerline (Pitch)	4 mm[.157 in]

Dimensions

Product Width	20.98 mm[.825 in]
Product Length	8.45 mm[.332 in]
Product Height	9.5 mm[.374 in]

Operation/Application

Packaging Features

Packaging Quantity	250
Packaging Method	Bag

Other

Serviceable	No
Connector Position Assurance Capable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
	Nichard Carlola Carrolla a carrolla de la carrolla

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts









Also in the Series | MCON Interconnection System





Position Assurance(11)





07/25/2022 04:13AM | Page 3





Automotive Terminals(113)



Insertion & Extraction Tools(31)




Other Automotive Connector Accessories(6)



PCB Headers & Receptacles(1)

Customers Also Bought















Documents

Product Drawings

2POS, MCON 1.2 CB REC 2p TL UNSEALED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2289523-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2289523-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2289523-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Housing for Female Terminals, Wire-to-Wire, 2 Position, .157 in [4 mm] Centerline, Blue, Signal, MCON Interconnection System



Datasheets & Catalog Pages

MCON Interconnection System

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

Instruction Sheet (U.S.)

English