2302318-1 - ACTIVE

MULTIGIG RT | MULTIGIG RT 2-S

TE Internal #: 2302318-1 High Speed Backplane Connectors, Board-to-Board, 56 Position, Mating Alignment, Keyed Mating Alignment Type, 7 Row, 8 Column, MULTIGIG RT 2-S

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Connectors



Connector System: Board-to-Board Number of Positions: 56 Row-to-Row Spacing: 1.35 mm [.053 in] Mating Alignment: With Mating Alignment Type: Keyed

Features

Product Type Features

Applied to Printed Circuit Board Type

Connector System

Daughtercard

Board-to-Board

PCB Connector Assembly Type	PCB Mount Header	
Shroud Style	Unshrouded	
Sealable	No	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Ground Positions	11	
Card Slot Centerline	20.3 mm[.8 in]	
Number of Power Positions	6	
Number of Pairs	4	
Number of Signal Positions	16	
Number of Positions	56	
Number of Rows	7	
Number of Columns	8	
Backplane Architecture	Traditional Backplane	
PCB Mount Orientation	Right Angle	
Guide Location	Unguided	

C For support call+1 800 522 6752

High Speed Backplane Connectors, Board-to-Board, 56 Position, Mating Alignment, Keyed Mating Alignment Type, 7 Row, 8 Column, MULTIGIG RT 2-S



Signal Characteristics

Differential Impedance	100 Ω	
Number of Differential Pairs per Column	2	
Contact Features		
Contact Current Rating (Max)	1 A	
Termination Features		
Termination Method to Printed Circuit Board	Through Hole - Press-Fit	
Mechanical Attachment		
Mating Alignment	With	
Mating Alignment Type	Keyed	
Connector Mounting Type	Board Mount	
Housing Features		
Number of Shrouded Sides	2	
Housing Material	LCP - GF (Liquid Crystal Polymer)	
Centerline (Pitch)	1.8 mm[.075 in]	
Dimensions		
Row-to-Row Spacing	1.35 mm[.053 in]	
Usage Conditions		
Operating Temperature Range	-55 – 125 °C[-67 – 221 °F]	
Operation/Application		
Circuit Application	Power & Signal	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Not Compliant	
EU ELV Directive 2000/53/EC	Not Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (7% in Plating) Article Safe Usage Statements:	

Row-to-Row Spacing	1.35 mm[.053 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power & Signal
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (7% in Plating) Article Safe Usage Statements:

High Speed Backplane Connectors, Board-to-Board, 56 Position, Mating Alignment, Keyed Mating Alignment Type, 7 Row, 8 Column, MULTIGIG RT 2-S



Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2000676-1	TE Part # 2000713-1	TE Part # 2302785-1	TE Part # 2302317-1
Keyed Guide Pin, Machined, Vita 46	RA Keyed Guide Mod, Vita 46,	RA PLUG ASSY,7ROW,CENTER,VPX,	RA ASSY, 7 Row, Cent DP, MULTIGIG
	Machined	MG RT3	RT 2-S


Also in the Series | MULTIGIG RT 2-S



Customers Also Bought

High Speed Backplane Connectors, Board-to-Board, 56 Position, Mating Alignment, Keyed Mating Alignment Type, 7 Row, 8 Column, MULTIGIG RT 2-S







TE Part #3160383002 55A0121-24-0/9



TE Part #DTS24W17-06PN RECP ASSY

Documents

Product Drawings RA ASSY, 7Rw, Left Half, MULTIGIG RT 2-S

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2302318-1_2.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2302318-1_2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2302318-1_2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

C For support call+1 800 522 6752

High Speed Backplane Connectors, Board-to-Board, 56 Position, Mating Alignment, Keyed Mating Alignment Type, 7 Row, 8 Column, MULTIGIG RT 2-S



SOSA Aligned Interconnect Solutions

English

Product Specifications Application Specification

English