### FASTON | FASTON 250

TE Internal #: 336369-1

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-2, Natural, Nylon, Mating Alignment, FASTON 250

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings











Terminal Type: Receptacle
Housing Type: Receptacle

Number of Positions: 1

Terminal Orientation: Straight

UL Flammability Rating: UL 94V-2

### **Features**

# Product Type Features

| Product Type           | Terminal Housing |
|------------------------|------------------|
| Sealable               | No               |
| Housing Type           | Receptacle       |
| Insulated              | No               |
| Configuration Features |                  |
| Number of Positions    | 1                |

# **Body Features**

| Primary Product Color | Natural |
|-----------------------|---------|
|                       |         |

### **Contact Features**

| Terminal Type            | Receptacle |
|--------------------------|------------|
| Terminal Orientation     | Straight   |
| Contact Mating Retention | Without    |

#### Mechanical Attachment

| Mating Alignment | With |  |
|------------------|------|--|



| Crimp Terminal Housing N | Mounting Style | Cable Mount (Free-Hanging) |
|--------------------------|----------------|----------------------------|
|                          |                | \                          |

| Housing Features            |                            |
|-----------------------------|----------------------------|
| Housing Material            | Nylon                      |
| Dimensions                  |                            |
| Length                      | 24.4 mm[.96 in]            |
| Usage Conditions            |                            |
| Operating Temperature Range | -40 – 105 °C[-40 – 221 °F] |
| Industry Standards          |                            |
| UL Flammability Rating      | UL 94V-2                   |
| Packaging Features          |                            |

7500

## **Product Compliance**

Packaging Quantity

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free                                       |
| Solder Process Capability                     | Not applicable for solder process capability  |


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



# Compatible Parts





# Customers Also Bought

Quick Disconnects(456)

PCB Terminals(144)



Splices(4)





TE Part #320563 TERMINAL,PIDG R 16-14 1/4




TE Part #7536494002 RT555-1/8-0-SP



TE Part #CQ50423001 RAY-101-4.0(10)





### **Documents**

### **Product Drawings**

250 FASTON HSG., REC., 1 POS, NATRUAL

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_336369-1\_F\_c-336369-1-f.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_336369-1\_F\_c-336369-1-f.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_336369-1\_F\_c-336369-1-f.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**FASTON Housings** 

English

## **Product Specifications**

6,35 FASTON RECPTACLES AND TAB SLEEVES

English

**Product Specification** 

English

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-2, Natural, Nylon, Mating Alignment, FASTON 250

