

PLASTI-GRIP

TE Internal #: 34243

Splices, 22 – 16 AWG Wire Size, .3 – 1.42 mm² Wire Size, Standard,


509 – 3260 CMA Wire Size, Copper, Red, Butt Splice Splice,

Serrated, PLASTI-GRIP

View on TE.com >



Terminals & Splices > Splices



Wire Size: .3 – 1.42 mm²

Sealable: No

Splice Features: Standard

Accepts Wire Insulation Diameter Range: 4.32 mm [.17 in]

Features

Product Type Features

Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Serrated	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	

Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Insulation Sleeve Material	Vinyl
Weight per Piece	4.944 g
Plating Material	Tin
Splice Features	Standard
Primary Product Material	Copper
Primary Product Color	Red



Contact Features

	100 μin
Contact Plating Material	Tin
Barrel Type	Closed
Mechanical Attachment	

Wire Insulation Support	With	
-------------------------	------	--

Dimensions

Wire Size	509 – 3260 CMA
Accepts Wire Insulation Diameter Range	4.32 mm[.17 in]
Overall Product Length	26.16 mm[1.03 in]

Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	90 °C[221 °F]

Operation/Application

Heavy Duty	No
Compatible With Wire Base Material	Copper

Industry Standards

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Other

Comment	Marking: Commercial 22-16- Military 22-18 in accordance with MIL-T-7928.
Military Category	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2022

(224)

Candidate List Declared Against: JAN 2022

(223)

SVHC > Threshold: Not Yet Reviewed

Halogen Content

Not Low Halogen - contains Br or Cl > 900
ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts













Also in the Series | PLASTI-GRIP





Compression Connectors(3)



Crimp Wire Pins, Tabs & Ferrules(25)



Ring Terminals & Spade Terminals(537)



Special Purpose Terminals(1)



Customers Also Bought



TE Part #640251-2 02P SL156 HSG W/O RAMP NATL




TE Part #3-640252-1 045 POST CONT 0126PTPBR



TE Part #1-1879453-5
TE 1000W 15R 5% Bracket



TE Part #34149
PG R 22-16 COMM 22-18 MIL 10



TE Part #53440-1 ELECTRO-TAP, 18-14 AWG RUN&TAP



TE Part #2-320856-1
TERMINAL,SOLIS SPD FLG 16-14 8



TE Part #2321927-2 FRONT TPA RECEPTACLE, 2 POS





Documents



Product Drawings

PG BUTT SPLC 22-16COMM22-18MIL

English

CAD Files

Customer View Model

ENG_CVM_CVM_34243_L.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_34243_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_34243_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_34243_07292015920_dmtec

English

MD_34243_07292015920_dmtec

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English