347782-1 🗸 ACTIVE


AMP | Timer Connector System

TE Internal #: 347782-1 Housing for Female Terminals, Wire-to-Wire, 8 Position, .236 in [6 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Timer Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > TIMER, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Connector System: Wire-to-Wire

Number of Positions: 8

Centerline (Pitch): 6 mm [.236 in]

Sealable: No

All TIMER, CONNECTOR HOUSING (543)

Features

Product Type Features

Connector & Housing Shape

Connector & Housing Type

Rectangular

Housing for Female Terminals

Connector System	Wire-to-Wire	
Sealable	No	
Hybrid Connector	No	
Primary Locking Feature	Integrated in Housing	
Configuration Features		
Number of Positions	8	
Number of Rows	2	
Body Features		
Cable Exit Angle	180°	
Primary Product Color	Natural	
Mechanical Attachment		
Mounting Feature	Without	
Terminal Position Assurance	No	
Strain Relief	Without	
Mating Alignment Type	Polarization Slot	

& For support call+1 800 522 6752

Housing for Female Terminals, Wire-to-Wire, 8 Position, .236 in [6 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Timer Connector System



Mating Alignment	With	
Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Centerline (Pitch)	6 mm[.236 in]	
Dimensions		
Product Width	23 mm[.905 in]	
Product Length	25 mm[.984 in]	
Product Height	11 mm[.433 in]	
Row-to-Row Spacing	5 mm[.196 in]	
Operation/Application		
Circuit Application	Signal	
Packaging Features		
Packaging Quantity	600	
Packaging Method	Box	
Other		
Serviceable	No	
Connector Position Assurance Capable	No	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

Housing for Female Terminals, Wire-to-Wire, 8 Position, .236 in [6 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Timer Connector System



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Timer Connector System










			ALC .
Automotive Connector Caps & Covers (11)	Automotive Connector Locks & Position Assurance(16)	Automotive Housings(219)	Automotive Seals & Cavity Plugs(31)
And a			
Automotive Terminals(140)	Crimp Terminal Housings(13)	Insertion & Extraction Tools(20)	Other Automotive Connector Accessories(1)

Housing for Female Terminals, Wire-to-Wire, 8 Position, .236 in [6 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Timer Connector System





Customers Also Bought





TE Part #0460-202-16141



TE Part #114017-ZZ

Documents

Product Drawings

CAD Files

Customer View Model

ENG_CVM_347782-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_347782-1_O.3d_stp.zip

English

Customer View Model

ENG_CVM_347782-1_O.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Timer Interconnection System

Housing for Female Terminals, Wire-to-Wire, 8 Position, .236 in [6 mm] Centerline, Natural, Signal, Cable Mount (Free-Hanging), Timer Connector System



English

Product Environmental ComplianceProduct ComplianceEnglishProduct ComplianceEnglish