

PLASTI-GRIP

TE Internal #: 321026


Splices, 26 – 22 AWG Wire Size, .12 – .4 mm² Wire Size, Standard, 202 – 810 CMA Wire Size, Copper, Yellow, Butt Splice Splice,

Serrated, PLASTI-GRIP

View on TE.com >



Terminals & Splices > Splices



Wire Size: .12 – .4 mm²

Sealable: No

Splice Features: Standard

Accepts Wire Insulation Diameter Range: 2.03 mm [.08 in]

Features

Product Type Features

Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Serrated	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	

Discrete Wire

Pady Factures

Compatible With Wire & Cable Type

Body Features	
Insulation Sleeve Material	Vinyl
Weight per Piece	.257 g
Plating Material	Tin
Splice Features	Standard
Primary Product Material	Copper
Primary Product Color	Yellow



Contact Features

Contact Plating Material	Tin
Barrel Type	Closed
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	202 – 810 CMA
Accepts Wire Insulation Diameter Range	2.03 mm[.08 in]
Overall Product Length	15.75 mm[.62 in]
Usage Conditions	
Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Heavy Duty	No
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece
Other	
Comment	26-22 splices are 26-24 range in accordance with MIL-T-7928.
	N.I.

Product Compliance

Military Category

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)

No



Candidate List Declared Against: JAN 2022

(223)

SVHC > Threshold:

Not Yet Reviewed

Halogen Content Not Low Halogen - contains Br or Cl > 900

ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PLASTI-GRIP



Compression Connectors(3)



Crimp Wire Pins, Tabs & Ferrules(25)



Ring Terminals & Spade Terminals(537)



Special Purpose Terminals(1)





Customers Also Bought

















Documents

Product Drawings
SPLICE,PG BUTT 26-22

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_321026_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_321026_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_321026_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.



Product Specifications

Application Specification

English

Product Environmental Compliance

MD_321026_05052016554_dmtec

English

MD_321026_05052016554_dmtec

English

Agency Approvals

CSA Certificate

English