

40661 ✓ ACTIVE

TE Internal #: 40661


Ring Terminals & Spade Terminals, Ring Tongue, 18 – 14 AWG

Wire Size, .8 – 2 mm² Wire Size, 1624 – 4106 CMA Wire Size, Stud Size #10

[View on TE.com >](#)



Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**

Wire Size: **1624 – 4106 CMA**

Stud Size: **#10**

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
Terminal Angle	180 °

Body Features

Inspection Slot	No
Weight per Piece	.833 g

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight



Terminal Plating Material	Unplated
Contact Underplating Material	None

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.1 in
Wire Size	1624 – 4106 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.76 mm[.03 in]
Overall Product Length	19.81 mm[.78 in]
Barrel Inside Diameter	1.52 mm, 2.92 mm[.06 in][.115 in]
Accepts Wire Insulation Diameter (Max)	3.56 mm[.14 in]
Accepts Wire Insulation Diameter Range	2.54 – 3.56 mm[.1 – .14 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Heavy Duty	No

Industry Standards

Government Qualified	No
----------------------	----

Packaging Features

Packaging Quantity	11000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)



Candidate List Declared Against: JAN 2022
(223)
SVHC > Threshold:
Not Yet Reviewed

Halogen Content
Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability
Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 350080-1 RING TERMINAL 18-14 0.245 X 1.110 TPSTL</p>	 <p>TE Part # 60394-1 RING TERMINAL 20-16 AWG BR</p>	 <p>TE Part # 60390-1 SPADE CRIMP 20-16 AWG BR</p>	 <p>TE Part # 150520-2 RT .197 DIA TERMINAL 16-13 AWG TPBR</p>
 <p>TE Part # 42933-2 RING TERMINAL 20-16 AWG TPBR</p>	 <p>TE Part # 60744-2 RING CRIMP 18-14 AWG TPBR</p>	 <p>TE Part # 170011-1 RING STRIP 18-14 MM2 0.503 X 11.938 BR</p>	 <p>TE Part # 1742173-1 SPRING SPADE TERMINAL 18-14 AWG TPBR</p>




TE Part # 2-2151370-1
OCEAN_2.0_Applicator-E-130F180F



TE Part # 2-2151370-2
OCEAN_2.0_Applicator-E-130F180F



TE Part # 2151370-1
OCEAN_2.0_Applicator-E-130F180F



TE Part # 2151370-2
OCEAN_2.0_Applicator-E-130F180F




TE Part # 2151372-2
OCEAN-2.0-APPLICATOR-S-070F1300



TE Part # 60744-1
RING CRIMP 18-14 AWG BR



TE Part # 63170-1
RING TERMINAL (RT) 18-14 AWG TPBR



TE Part # 7-2151370-1
OCEAN_2.0_Applicator-E-130F180F



TE Part # 7-2151370-2
OCEAN_2.0_Applicator-E-130F180F




KIT
TE Part # 7-2151370-7
OCEAN_2.0_SPARE_PART_KIT-130F180F

Customers Also Bought



TE Part #5-1971773-3
PTL 1X3 PLUG HSG HIGH TEMP KEY A LGR



TE Part #2-521103-2
ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #61397-1
RING TERMINAL CRIMP 18-14 AWG TPBR



TE Part #42660-2
250 FASTON REC 18-14 AWG TPBR




TE Part #42692-2
250 FASTON REC 18-14 AWG TPBR



TE Part #63537-2
250 FASTON REC 18-14 TPBR



TE Part #456410-3
CRIMPER WIRE .130 F



TE Part #2-521144-2
ULTRA-FAST 250 ASY TAB 22-18 TPBR



Documents

Product Drawings

[RING 190\(4.82 MM\) TERMINAL 18-14 AWG BR](#)

English

CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG_CVM_CVM_40661_AY_c-40661-ay.2d_dxf.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_40661_AY_c-40661-ay.3d_igs.zip](#)

English

[Customer View Model](#)

[ENG_CVM_CVM_40661_AY_c-40661-ay.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English

[Product Specification](#)

English

[Product Specification](#)

English

Product Environmental Compliance

[TE Material Declaration](#)

English

Agency Approvals

[UL Report](#)

English