molex®
one company › a world of innovation

**Part Number:** 35977-0890

Status: **Active**

Overview: MV-396™

Description: 3.96mm Pitch Wire-to-Board Housing, Positive Lock, 8 Circuits, White, Glow Wire Compatible

Documents:
3D Model
Drawing (PDF)

RoHS Certificate of Compliance (PDF)

Series

image - Reference only

Agency Certification

CSA	LR19980
TUV	R72090224
UL	E29179

General

Product Family	Crimp Housings
Series	35977
Application	Power, Wire-to-Board
Comments	This Molex product is manufactured from material that has the following ratings, tested by independent agencies :. a) A Glow Wire Ignition Temperature (GWIT) of at least 775 deg C per IEC 60695-2-13.. b) A Glow Wire Flammability Index (GWFI) above 850 deg C per IEC 60695-2-12.and hence complies with the requirements set out in the International Standard IEC 60335-1 5th edition - household and similar electrical appliances - safety; section 30 Resistance to heat and fire.<P><P>The customers using this product must determine its suitability for use in their particular application through testing or other acceptable means as described in end-product glow-wire flammability test standard IEC 60695-2-11 and any applicable product end-use standard(s).<P>If it is determined during the customer's evaluation of suitability, that higher performance is required, please contact Molex for possible product options.
Overview	MV-396™
Product Name	MV-396™

Physical

Circuits (maximum)	8
Color - Resin	White
Flammability	94V-0
Gender	Female
Glow-Wire Compliant	Yes
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Polyester Alloy
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	3.96mm
Polarized to Mating Part	Yes
Stackable	Yes
Temperature Range - Operating	-25°C to +85°C

EU RoHS   **China RoHS**

ELV and RoHS Compliant

REACH SVHC
Contains SVHC: No
Low-Halogen Status
Not Low-Halogen

Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

Search Parts in this Series
35977Series

Mates With
Wire-to-Board Header 35978 , 35979

Use With
Wire-to-Board Terminal 35922

Electrical

Current - Maximum per Contact   7A

Material Info

Reference - Drawing Numbers

Sales Drawing   SD-35977-001