

480004-5 ✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250


TE Internal #: 480004-5

Crimp Terminal Housings, Tab, Tab Housing, 6 Position, Straight,
UL 94V-2, Natural, Nylon, Mating Alignment, FASTIN-FASTON 250

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Tab**

Housing Type: **Tab Housing**

Number of Positions: **6**

Terminal Orientation: **Straight**

UL Flammability Rating: **UL 94V-2**

Features

Product Type Features

Product Type	Terminal Housing
Sealable	No
Housing Type	Tab Housing
Insulated	No

Configuration Features

Number of Positions	6
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Tab
Terminal Orientation	Straight
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	With
------------------	------



Crimp Terminal Housing Mounting Style

Cable Mount (Free-Hanging)

Housing Features

Housing Material

Nylon

Centerline (Pitch)

9.32 mm[.367 in]

Dimensions

Length

32.38 mm[1.27 in]

Usage Conditions

Operating Temperature Range

-40 – 105 °C[-40 – 221 °F]

Industry Standards

UL Flammability Rating

UL 94V-2

Packaging Features

Packaging Quantity

1

Packaging Method

Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2022 (224)
 Candidate List Declared Against: JAN 2022 (223)
 SVHC > Threshold:
 Not Yet Reviewed

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits

as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 170340-1
FF 250 TAB 20-14AWG BR WITHOUT LATCH

TE Part # 170341-3
FF 250 TAB 14-12AWG PTBR WITHOUT LATCH

TE Part # 170349-2
FF 250 TAB 22-20AWG TPBR WITHOUT LATCH

TE Part # 170340-3
FF 250 TAB 20-14AWG PTBR WITHOUT LATCH

TE Part # 170341-1
FF 250 TAB 14-12AWG BR WITHOUT LATCH

TE Part # 170349-1
FF 250 TAB 22-20AWG BR WITHOUT LATCH

TE Part # 1-480251-0
FF 187 TAB HSG 3P NYLON NAT

TE Part # 2348943-1
FF 187&250 TAB HSG 9P NYLON NAT

Also in the Series | FASTIN-FASTON 250

Crimp Terminal Housings(218)

Insertion & Extraction Tools(2)

PCB Terminals(2)

Quick Disconnects(255)


Customers Also Bought

TE Part #1623732-5
BCHE 7 W 12K 5%

TE Part #2-34071-3
SPL,PG BUTT 16-14,FUNNEL ENTRY

TE Part #42400-2
250 FASTON REC 18-14 AWG TPBR

TE Part #41333
RING 18-14 AWG TPBR



Documents

Product Drawings

[FF 250 TAB HSG 6P NYLON NAT](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_480004-5_CB.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_480004-5_CB.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_480004-5_CB.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTIN_FASTON_Product_Line](#)

English

[White Paper: Nylon Discoloration](#)

English

Product Specifications

[Application Specification](#)

English



Product Environmental Compliance

[MD_480004-5_04192018119_dmtec](#)

English

[MD_480004-5_04192018119_dmtec](#)

English

Agency Approvals

[UL Report](#)

English