5-1565089-1 ACTIVE

GRACE INERTIA 3.5

TE Internal #: 5-1565089-1

PCB Latches, Locks & Retainers, Double Lock Plate, 2 Position, .138 in [3.5 mm] Centerline, -30 – 105 °C [-22 – 221 °F], GRACE INERTIA

3.5

View on TE.com >



Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Hardware > PCB Latches, Locks & Retainers











Connector & Contact Retention Accessory Type: Double Lock Plate

Number of Positions: 2

Centerline (Pitch): 3.5 mm [.138 in]

Operating Temperature Range: -30 - 105 °C [-22 - 221 °F]

Features

Product Type Features

Double Lock Plate
2
PBT GF20
Black
3.5 mm[.138 in]
-30 – 105 °C[-22 – 221 °F]
Standard Part - Not Glow Wire

UL 94V-0

UL Flammability Rating



Packaging Quantity	2500
Packaging Method	Bag

Other

Comment	Use with Grace Inertia Connector 3.5

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts








Also in the Series | GRACE INERTIA 3.5










Customers Also Bought
















Documents

Product Drawings

GRACE INERTIA CONNECTOR 3.5 2P PLATE

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5-1565089-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_5-1565089-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5-1565089-1_C.3d_stp.zip

PCB Latches, Locks & Retainers, Double Lock Plate, 2 Position, .138 in [3.5 mm] Centerline, -30 – 105 °C [-22 – 221 °F], GRACE INERTIA 3.5



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English