## 487545-9 - ACTIVE

TE Internal #: 487545-9 FFC Connectors, Housing, Wire-to-Board, 12 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal

#### View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors > FFC Receptacle Housing: 1.27mm



FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: **12** 

Centerline (Pitch): 1.27 mm [.05 in ]

Number of Rows: 1

### All FFC Receptacle Housing: 1.27mm (52)

## Features

### Product Type Features

Connector & Housing Type	Receptacle
FFC Connector Product Type	Housing
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Insertion Force Type	Normal
Configuration Features	
Compatible With Wire & Cable Type	FFC
Number of Positions	12
Number of Rows	1
Electrical Characteristics	
Dielectric Withstanding Voltage (Max)	300 VAC
Insulation Resistance	5000 ΜΩ

#### 487545-9

FFC Connectors, Housing, Wire-to-Board, 12 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal



Operating Voltage	100 VAC
Contact Features	
Contact Type	Socket
Mechanical Attachment	
Mating Alignment Type	Polarization
Mating Retention Type	Latch
Mating Retention	With
Mating Alignment	With
Panel Mount Feature	Without
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Polyester
Centerline (Pitch)	1.27 mm[.05 in]
FFC Cable Entry	Straight
Housing Color	Black
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

## Operation/Application

Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1000
Packaging Method	Carton
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

### 487545-9

FFC Connectors, Housing, Wire-to-Board, 12 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal



Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability


Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # 5-104804-3

12 SYSTEM 50 HDR SRST SHRD SN

• For support call+1 800 522 6752

TE Part # 5-104178-7

12 SYS 50 HDR SRST UNSHRD SN

TE Part # 5-104186-7

12 SYS 50 HDR SRRA UNSHRD SN

### 487545-9

FFC Connectors, Housing, Wire-to-Board, 12 Position, 1.27 mm [.05 in] Centerline, 1 Row, Socket, Carton, Mating Retention, Wire & Cable, Normal



## Customers Also Bought



## Documents

Product Drawings 012 HOUSING FFC RCPT 050CL SR

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_487545-9\_AH.2d\_dxf.zip

English

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_487545-9\_AH.3d\_igs.zip

English

5

### Customer View Model ENG\_CVM\_CVM\_487545-9\_AH.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages AMPMODU\_INTERCONNECTION\_SYSTEM\_SECTION3AND4

English

Product Specifications Application Specification

English

Product Environmental Compliance MD\_487545-9\_10052017232\_dmtec

English

MD\_487545-9\_10052017232\_dmtec

English