487923-1 ~ ACTIVE

TE Internal #: 487923-1 FFC Contacts, Cable-to-Cable, 1.27 mm [.05 in] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, Wire & Cable, 1.5 A, Signal View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Contacts >

1.27mm FFC Connectors Pin Contacts



Connector System: Cable-to-Cable

Centerline (Pitch): 1.27 mm [.05 in]

Compatible With Wire & Cable Type: FFC

Contact Type: Pin

Contact Mating Area Plating Material: Tin-Lead

All 1.27mm FFC Connectors Pin Contacts (8)

Features

Product Type Features

Connector System	Cable-to-Cable
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Compatible With Wire & Cable Type	FFC
Contact Features	
Contact Mating Area Plating Material Thickness	2.54 µm
Contact Mating Area Plating Material Finish	Bright
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin-Lead
Contact Base Material	Phosphor Bronze
Contact Type	Pin
Contact Mating Area Plating Material	Tin-Lead

487923-1

FFC Contacts, Cable-to-Cable, 1.27 mm [.05 in] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, Wire & Cable, 1.5 A, Signal



Contact Current Rating (Max)	1.5 A
Termination Features	
Termination Method to Wire & Cable	Solder Tab
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	1.27 mm[.05 in]
Dimensions	
Accepts Conductor Width	.66 mm
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant	
EU ELV Directive 2000/53/EC	Not Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Reflow solder capable to 260°C	
Product Compliance Disclaimer		

487923-1

FFC Contacts, Cable-to-Cable, 1.27 mm [.05 in] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, Wire & Cable, 1.5 A, Signal



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-F439-R2435254 2.54mm FFC Connectors Receptacle Housing



TE Part # 2394880-3 FFC BASE MACHINE MARK II, ENGLISH

Customers Also Bought



Let TE	-ETE	ETE	-E 7E
TE Part #5499206-2	TE Part #2-487406-3	TE Part #2-644488-3	TE Part #487526-5
A/L UNIV HDR 14P VERT LG LAT	FFC,RCPT CONTACT,STD PRESSURE	03P MTA100 SHRD HDR F/L R/A SN	006 HOUSING FFC RCPT 100CL SR
CODE TE		And the second second	TTE
TE Part #350540-1	TE Part #640456-6	TE Part #6-104655-1	TE Part #1825011-1
02P CMNL HDR ASSY LONG NATL	06P MTA100 HDR ASSY F/L SQ STR	100 50/50 HDR DRST SFMNT TIN	ASF2204=DPDT AUTOSLIDE

487923-1

FFC Contacts, Cable-to-Cable, 1.27 mm [.05 in] Centerline, FFC, Pin, Tin-Lead, Reel, Solder Tab, Wire & Cable, 1.5 A, Signal





Documents

Product Drawings FFC SDR TAB 100 FULL SN-PB

English

CAD Files

Customer View Model ENG_CVM_CVM_487923-1_S.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_487923-1_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_487923-1_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English