

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **5013301000**  
**Status:** **Active**  
**Overview:** Pico-Clasp Wire-to-Board Connectors  
**Description:** 1.00mm Pitch, Pico-Clasp Receptacle Crimp Housing, Single Row, Positive Lock, 10 Circuits, White

**Documents:**

|                                                               |                                                                   |
|---------------------------------------------------------------|-------------------------------------------------------------------|
| <a href="#">3D Model</a>                                      | <a href="#">Product Specification 5013300000-PS-004 (PDF)</a>     |
| <a href="#">Drawing (PDF)</a>                                 | <a href="#">Application Specification 5013300000-AS-000 (PDF)</a> |
| <a href="#">3D Model (PDF)</a>                                | <a href="#">Application Specification 5013300000-AS-001 (PDF)</a> |
| <a href="#">Product Specification 5013300000-PS-001 (PDF)</a> | <a href="#">Packaging Specification SPK-501330-001-001 (PDF)</a>  |
| <a href="#">Product Specification 5013300000-PS-002 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>              |
| <a href="#">Product Specification 5013300000-PS-003 (PDF)</a> |                                                                   |

**Agency Certification**

UL E29179

**Application tooling part link**

Application Tooling Part Link 63813-1700

**General**

Product Family Crimp Housings  
 Series [501330](#)  
 Application Signal, Wire-to-Board  
 Overview [Pico-Clasp Wire-to-Board Connectors](#)  
 Product Name Pico-Clasp  
 UPC 822348529551

**Physical**

Circuits (maximum) 10  
 Color - Resin White  
 Gender Receptacle  
 Glow-Wire Capable No  
 Keying to Mating Part None  
 Lock to Mating Part Yes  
 Material - Resin Nylon  
 Net Weight 87.800/mg  
 Number of Rows 1  
 Packaging Type Bag  
 Panel Mount No  
 Pitch - Mating Interface 1.00mm  
 Pitch - Termination Interface 1.00mm  
 Polarized to Mating Part Yes  
 Stackable No  
 Temperature Range - Operating -40° to +105°C

**Material Info**

**Reference - Drawing Numbers**

Application Specification 5013300000-AS-000, 5013300000-AS-001  
 Packaging Specification SPK-501330-001-001  
 Product Specification 5013300000-PS-001, 5013300000-PS-002, 5013300000-PS-003, 5013300000-PS-004  
 Sales Drawing 5013300000-SD-000, SD-501330-002-001



Series image - Reference only

**EU ELV**

**Compliant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)4578-DC (25 June 2020)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

[501330](#) Series

**Mates With**

[501331](#) , [203556](#) , [203557](#) Vertical PCB Header  
[501568](#) , [203558](#) , [203559](#) Right Angle PCB Header

**Use With**

[501334](#) Tin Crimp Terminal  
[501193](#) Gold Crimp Terminal

**Application Tooling | FAQ**

*Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.*

**Global**

**Description**

**Product #**

Extraction Tool [638131700](#)

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**