

NOTES

- 1 材料：TABLE 1 参照
MATERIAL：SEE TABLE 1
- 2 本製品の適応嵌合相手及び各種仕様書はSHEET 2を御参照下さい。
REFER TO SHEET 2 FOR MATE PARTNER AND EACH PRODUCT SPECIFICATION.
- 3 極数/2=偶数に適応
APPLICABLE FOR CIRCUIT SIZE/2 = EVEN
- 4 発注番号：TABLE 2 参照
ORDER No.：SEE TABLE 2
- 5. 梱包仕様書：SPK-501189-001
PACKING SPECIFICATION：

501189

極数 CIRCUIT SIZE	ハウジングカラー HOUSING COLOR
	10:NATURAL(WHITE)
	11:BLACK




TABLE 2

			HOUSING COLOR		
			BLACK	NATURAL(WHITE)	
25.3	24.0	26.7	501189 5011	501189 5010	50
20.3	19.0	21.7	501189 4011	501189 4010	40
15.3	14.0	16.7	501189 3011	501189 3010	30
10.3	9.0	11.7	501189 2011	501189 2010	20
C	B	A	発注番号 ORDER No.		
極数別 寸法 DIMENSION			梱包形態：ポリ袋 PACKAGE:POLYBAG		極数 CIRCUIT SIZE

TABLE 1

部品 PART	材質 MATERIAL
ハウジング HOUSING	ポリアミド(PA), UL94V-0, LOW HALOGEN, 色：SEE TABLE 2 POLYAMIDE(PA), UL94V-0, LOW HALOGEN, COLOR：SEE TABLE 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS mm	SCALE NTS	CURRENT REV DESC:		molex		
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 639499				
ANGULAR TOL	± 3.0°	DRWN: AISHIKAWA 2020/01/20		PRODUCT CUSTOMER DRAWING		
4 PLACES	± 0.2	CHK'D: AIDA 2020/06/19		DOCUMENT NUMBER		
3 PLACES	± 0.2	APPR: SAKIYAMA 2020/06/19		DOC TYPE		
2 PLACES	± 0.2	INITIAL REVISION:		DOC PART		
1 PLACE	± 0.2	DRWN: AISHIKAWA 2019/03/22		REVISION		
0 PLACES	± 0.2	APPR: KOMURAKAMI 2019/04/03		5011890000-SD		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
			A3-SIZE	501189		

△ 2 適応製品及び各種仕様書 (標準仕様)
APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS (STANDARD TYPE)

適応圧着端子 APPLY CRIMP TERMINAL	PART NUMBER		PLATING TYPE		WIRE SIZE(AWG) #28 - #32
	501193 7000		GOLD (THICKNESS) 【MICRO-METER MIN】	0.1	
	501193 8000			0.38	
	501193 9000			0.76	

列 ROW	DUAL					
	SMT					
	VERTICAL			RIGHT ANGLE		
適応嵌合相手 MATE WITH	GOLD (THICKNESS) 【MICRO-METER MIN】			GOLD (THICKNESS) 【MICRO-METER MIN】		
	0.1	0.38	0.76	0.1	0.38	0.76
シリーズ番号 SERIES No.	501190	203564	203565	202396	203566	203567
製品仕様書 PRODUCT SPECIFICATION	5011890000-PS 001					
取扱説明書 APPLICATION SPECIFICATION	5011890000-AS 000					

※製品嵌合図は各"適応嵌合相手"図面参照のこと
 MATING VIEW:REFER TO EACH "MATE WITH" PART DRAWING.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS	SCALE	CURRENT REV DESC:						molex		
mm	NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 639499						PICO-CLASP 1.0 W/B DUAL ROW REC HSG		
ANGULAR TOL	± 3.0 °	DRWN: AISHIKAWA 2020/01/20						PRODUCT CUSTOMER DRAWING		
4 PLACES	± 0.2	CHK'D: AIDA 2020/06/19						DOCUMENT NUMBER		
3 PLACES	± 0.2	APPR: SAKIYAMA 2020/06/19						5011890000-SD		
2 PLACES	± 0.2	INITIAL REVISION:						DOC TYPE	DOC PART	REVISION
1 PLACE	± 0.2	DRWN: AISHIKAWA 2019/03/22						PSD	000	C
0 PLACES	± 0.2	APPR: KOMURAKAMI 2019/04/03								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER				
		A3-SIZE	501189			2 OF 3				

△ 2 適応製品及び各種仕様書 (ローハロゲン仕様)
 APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS (LOW HALOGEN TYPE)

列 ROW	DUAL					
	SMT					
	VERTICAL			RIGHT ANGLE		
	GOLD (THICKNESS) 【MICRO-METER MIN】			GOLD (THICKNESS) 【MICRO-METER MIN】		
適応嵌合相手 MATE WITH	0.1	0.38	0.76	0.1	0.38	0.76
シリーズ番号 SERIES No.	208391 ***7	208391 ***5	208391 ***3	208393 ***7	208393 ***5	208393 ***3
製品仕様書 PRODUCT SPECIFICATION	5011890000-PS 002					
取扱説明書 APPLICATION SPECIFICATION	5011890000-AS 001					

※製品嵌合図は各"適応嵌合相手"図面参照のこと
 MATING VIEW:REFER TO EACH "MATE WITH" PART DRAWING.
 ※適応圧着端子は標準仕様と共通になります
 THE APPLICABLE CRIMP TERMINAL ARE THE SAME THE STANDARD.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS	SCALE	CURRENT REV DESC:						molex	
mm	NTS								
GENERAL TOLERANCES (UNLESS SPECIFIED)								PICO-CLASP 1.0 W/B DUAL ROW REC HSG	
ANGULAR TOL	± 3.0 °							PRODUCT CUSTOMER DRAWING	
4 PLACES	± 0.2	EC NO: 639499							
3 PLACES	± 0.2	DRWN: AISHIKAWA	2020/01/20						
2 PLACES	± 0.2	CHK'D: AIDA	2020/06/19						
1 PLACE	± 0.2	APPR: SAKIYAMA	2020/06/19						
0 PLACES	± 0.2	INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART
		DRWN: AISHIKAWA	2019/03/22			5011890000-SD		PSD	000
		APPR: KOMURAKAMI	2019/04/03					C	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER			
		A3-SIZE	501189			3 OF 3			