


#### Z-PACK | Z-PACK 2mm HM

TE Internal #: 5352132-1 Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 5 Row, Mezzanine, Board-to-Board, 110 Position, Z-PACK 2mm HM

#### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Connectors >

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm



PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s** 

Number of Columns: 22

Number of Rows: 5

Backplane Architecture: Mezzanine

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (124)



#### Features

#### **Product Type Features**

Backplane Interface Type	2mm HM	
PCB Connector Assembly Type	PCB Mount Header	
Connector System	Board-to-Board	
Sealable	No	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Mating & Unmating Configuration	Make First / Break Last	
Number of Signal Positions	110	
Number of Columns	22	
Number of Rows	5	
Backplane Architecture	Mezzanine	
Number of Positions	110	

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 5 Row, Mezzanine, Board-to-Board, 110 Position, Z-PACK 2mm HM



PCB Mount Orientation	Vertical			
Signal Characteristics				
Crosstalk Version	Standard			
Data Rate	≤1 Gb/s			
Contact Features				
Feedthrough Post Length	3.7 mm			
Feedthrough Post Length (Rows A-E)	9.7 mm			
Contact Type	Pin			
Contact Underplating Material	Nickel			
PCB Contact Termination Area Plating Material	Tin			
Contact Base Material	Phosphor Bronze			
CompactPCI Designation	None			
Contact Mating Area Plating Material	Gold			
Contact Mating Area Plating Material Thickness	1.27 μm[50 μin]			
Contact Current Rating (Max)	1.5 A			
Termination Features				

Termination Method to Printed Circuit Board

Through Hole - Press-Fit

#### Mechanical Attachment

Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Polyester - GF	
Centerline (Pitch)	2 mm[.078 in]	
Housing Color	Gray	
Dimensions		
Backplane Module Length	43.88 mm	
Usage Conditions		
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]	
Operation/Application		
Shielded	No	
Circuit Application	Power & Signal	
Industry Standards		

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 5 Row, Mezzanine, Board-to-Board, 110 Position, Z-PACK 2mm HM



UL Flammability Rating	UL 94V-0	
AdvancedTCA Specified Product	No	
Packaging Features		
Packaging Quantity	11	
Packaging Method	Tube	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 5 Row, Mezzanine, Board-to-Board, 110 Position, Z-PACK 2mm HM






# Also in the Series | Z-PACK 2mm HM



Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)
		AND	Calledon and a second
PCB Connector Covers(4)	PCB Connector Shrouds(39)	PCB Ferrules & Shields(19)	PCB Latches, Locks & Retainers(1)




# Customers Also Bought

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 22 Column, 5 Row, Mezzanine, Board-to-Board, 110 Position, Z-PACK 2mm HM





### Documents

Product Drawings Z-PACK/B MALE HDR 110P

English

CAD Files 3D PDF

3D

Customer View Model

#### ENG\_CVM\_CVM\_5352132-1\_A.2d\_dxf.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_5352132-1\_A.3d\_igs.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_5352132-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

## Product Environmental Compliance

**TE Material Declaration** 

English