


EUROCARD

TE Internal #: 535089-5 Eurocard Connectors, Receptacle, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Vertical, 32 Column

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Receptacle Connector System: Board-to-Board Termination Post & Tail Length: 2.49 mm [.098 in] Number of Positions: 96

Centerline (Pitch): 2.54 mm [.1 in]

Features



Product Type Features

Connector & Housing Type	Receptacle			
Connector System	Board-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
DIN Size	Standard			
DIN Level	II			
Configuration Features				
Number of Positions	96			
Number of Rows	3			
PCB Mount Orientation	Vertical			
Number of Columns	32			
Number of Signal Positions	96			
Rows Loaded	А, В, С			
Contact Features				

Eurocard Connectors, Receptacle, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Vertical, 32 Column



Contact Cross Section	.25 x .25 mm[.25 x .25 in]	
PCB Contact Termination Area Plating Material Thickness	2.54 – 3.08 μm[99.9998 – 121.2596 μin]	
Contact Type	Socket	
Contact Mating Area Plating Material Thickness	.76 μm[29.9212 μin]	
Contact Mating Area Plating Material	Gold	
PCB Contact Termination Area Plating Material	Tin-Lead	
Contact Base Material	Phosphor Bronze	
Contact Current Rating (Max)	1.5 A	
Termination Features		
Termination Method to Printed Circuit Board	Through Hole - Solder	
Termination Post & Tail Length	2.49 mm[.098 in]	
Mechanical Attachment		
Mating Alignment Type	Polarization	
Mating Retention	With	
Mating Alignment	With	
PCB Mount Alignment	Without	
Panel Mount Feature	With	
PCB Mount Retention	Without	
PCB Mount Retention Type	Mounting Ears	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Polyester - GF	
Centerline (Pitch)	2.54 mm[.1 in]	
Dimensions		
Connector Height	11.5 mm[.452 in]	
Row-to-Row Spacing	2.54 mm[.1 in]	
Jsage Conditions		
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
Operation/Application		
Shielded	No	
Circuit Application	Signal	
Packaging Features		

C For support call+1 800 522 6752

Eurocard Connectors, Receptacle, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Vertical, 32 Column



Packaging Method	Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Eurocard Connectors, Receptacle, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Vertical, 32 Column







Customers Also Bought



06P MTA100 HDR ASY FL/STR LF	HD 20 DF SOCKET PLTD	ASSY PRO-CRIMPER UNIV M-N-L	80 50SR CABLE PLUG ASSY
			ETE
TE Part #3-1658527-2 622-6441LF=FSKT IDC S 64 30AU	TE Part #5225396-7 BNC JACK DUAL CP RG174,188	TE Part #1-5225664-2 N SER JACK W/P TR	TE Part #926539-1 250 FASTON HSG. REC. 1P NATURAL

Documents

Product Drawings 096 EURO TYPE C RECEPT ST ASSY

English

CAD Files

Customer View Model

ENG_CVM_CVM_535089-5_R.2d_dxf.zip

English

3D PDF

Eurocard Connectors, Receptacle, Board-to-Board, 96 Position, .1 in [2.54 mm] Centerline, Printed Circuit Board, 3 Row, Vertical, 32 Column



3D

Customer View Model ENG_CVM_CVM_535089-5_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_535089-5_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD_535089-5_1214201768_dmtec

English

MD_535089-5_1214201768_dmtec

English

Instruction Sheets

Instruction Sheet (U.S.)

English