

AMP-HDI

TE Internal #: 532434-7

PCB Mount Receptacle, Right Angle, Board-to-Board, 200 Position, .

1 in [2.54 mm] Centerline, Gold, Through Hole - Solder, Signal,

Natural

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles



PCB Connector Assembly Type: PCB Mount Receptacle

PCB Mount Orientation: Right Angle
Connector System: Board-to-Board

Number of Positions: 200
Number of Rows: 4

Features

Product Type Features

| PCB Connector Assembly Type | PCB Mount Receptacle |
|-----------------------------------|-----------------------|
| Connector System | Board-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features | |
| Stackable | No |
| PCB Mount Orientation | Right Angle |
| Number of Positions | 200 |
| Number of Rows | 4 |
| Electrical Characteristics | |
| Insulation Resistance | 4 MΩ |
| Body Features | |
| Primary Product Color | Natural |



Contact Features

| Contact Layout | Matrix |
|---|-----------------|
| Mating Square Post Dimension | .64 mm[.025 in] |
| Contact Shape & Form | Four Beam |
| PCB Contact Termination Area Plating Material | Tin |
| Contact Base Material | Copper Alloy |
| Contact Mating Area Plating Material | Gold |
| | 30 μin |
| Contact Type | Socket |
| Contact Current Rating (Max) | 3 A |
| | Socket |

Termination Features

| Rectangular Termination Post & Tail Thickness | .25 mm[.01 in] |
|---|-----------------------|
| Rectangular Termination Post & Tail Width | .58 mm[.023 in] |
| Termination Post & Tail Length | 4.57 mm[.18 in] |
| Termination Method to Printed Circuit Board | Through Hole - Solder |

Mechanical Attachment

| Mating Alignment | Without |
|-------------------------|-------------|
| Mating Alignment Type | Keyed |
| PCB Mount Retention | Without |
| PCB Mount Alignment | Without |
| Connector Mounting Type | Board Mount |

Housing Features

| Centerline (Pitch) | 2.54 mm[.1 in] |
|--------------------|----------------|
| Housing Material | Thermoplastic |

Dimensions

| Connector Height | 11.68 mm[.46 in] |
|------------------|------------------|
| | |

Usage Conditions

| Housing Temperature Rating | High |
|-----------------------------|----------------------------|
| Operating Temperature Range | -65 – 125 °C[-85 – 257 °F] |
| Operation/Application | |

Operation/Application

| Assembly Process Feature | None |
|--------------------------|--------|
| Circuit Application | Signal |



Industry Standards

| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|
| Packaging Features | |
| Packaging Quantity | 4 |
| Packaging Type | Tube |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Not Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Not Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (13% in component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources. |
| Solder Process Capability | Not lead free process capable |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought



















Documents

Product Drawings

HDI RECP ASSY 4 ROW 200 POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_532434-7_R.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_532434-7_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_532434-7_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1-1773957-5_AMP_HDI_BTB_CONNECTORS_EN

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

Agency Approval Document

English