



MTA 156

TE Internal #: 640629-1

PCB Connector Keying, Keying Plug, -55 – 105 °C [-67 – 221 °F],

MTA 156

[View on TE.com >](#)

Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Keying



Connector Keying Accessory Type: **Keying Plug**

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

**Features**

**Product Type Features**

Connector Keying Accessory Type	Keying Plug
---------------------------------	-------------

**Body Features**

Primary Product Material	Nylon 6/6
Primary Product Color	Natural

**Usage Conditions**

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

**Industry Standards**

UL Flammability Rating	UL 94V-2
------------------------	----------

**Packaging Features**

Packaging Method	Package
Packaging Quantity	1

**Other**

Comment	Used with keyed headers.
---------	--------------------------

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)











EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


## Compatible Parts

 TE Part # 644699-2 07P MTA156 HDR ASSY R/A W/O#4	 TE Part # 1-643464-4 07P MTA156 HD ASY ST W/O#1,4,6	 TE Part # 644408-1 06P MTA156 HDR ASSY,R/A,W/O#4	 TE Part # 643464-5 07P MTA156 HDR ASSY STR W/O#6
 TE Part # 644408-2 06P MTA156 HDR ASSY,R/A,W/O#5	 TE Part # 643495-3 05P MTA156 HDR ASSY W/O#2	 TE Part # 641623-1 MTA156 KEYING PLUG (10/STRIP)	 TE Part # 643495-2 05P MTA156 HDR ASSY W/O#2&4



## Also in the Series | MTA 156






Standard Rectangular Connectors  
(1309)



Wire-to-Board Connector Contacts(12)

## Customers Also Bought



TE Part #814351-000  
202D142-4-0




TE Part #66103-2  
III+ PIN,24-20,TIN-LEAD,LP



TE Part #3-640599-9  
09P MTA156 CONN ASSY 18AWG  
ORA



TE Part #3-641437-3  
03P MTA156 PSTD CONN ASSY RED



TE Part #640643-9  
09P MTA156 COVER F/T



TE Part #213737-1  
SIZE 8 SKT CONT ASSY,10 AWG



TE Part #2-33461-3  
TERMINAL,SOLIS R 8 1/4



TE Part #770075-1  
04P .093 COMM P&S RECPT HSG



TE Part #3-641522-3  
03P MTA156 PSTD CONN ASSY  
ORNG

## Documents

### Product Drawings

#### MTA156 KEYING PLUG

English

### CAD Files

#### 3D PDF

3D

### Customer View Model

ENG\_CVM\_CVM\_640629-1\_J.2d\_dxf.zip



English

Customer View Model

[ENG\\_CVM\\_CVM\\_640629-1\\_J.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_640629-1\\_J.3d\\_stp.zip](#)

English

3D PDF

English

Customer View Model

[ENG\\_CVM\\_640629-1\\_C.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_640629-1\\_C.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_640629-1\\_C.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[MTA, CST-100 II, SL-156 and AMP Economy Power \(EP\) Connectors](#)

English

---

### Product Specifications

[Application Specification](#)

Japanese

[Application Specification](#)

English

[MTA 156 Ribbon Cable Connector Assemblies \(English And Spanish\)](#)

English

[MTA 156 Ribbon Cable Connector Assemblies \(English And Spanish\)](#)

Japanese

---

### Product Environmental Compliance

[MD\\_640629-1\\_0419201821\\_dmtec](#)

English

[MD\\_640629-1\\_0419201821\\_dmtec](#)

English