



Connectors > Power Connectors > Power Contacts



Power Contact Type: **Contact**

Contact Mating Area Plating Material: **Gold**

Connector System: **Wire-to-Board**

Connector & Contact Terminates To: **Printed Circuit Board**

Termination Method to Printed Circuit Board: **Through Hole - Solder**

## Features

### Product Type Features

Power Contact Type	Contact
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

### Contact Features

PCB Contact Termination Area Plating Material Finish	Bright
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	35 A
Contact Type	Socket
Contact Retention Within Housing	Without
Mating Pin Diameter	2.28 mm[.09 in]
Contact Base Material	Copper Alloy
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Wire Contact Termination Area Plating Material Finish	Bright
PCB Contact Termination Area Plating Material	Silver



PCB Contact Termination Area Plating Material Thickness	5.08 – 7.62 $\mu\text{m}$ [200 – 300 $\mu\text{in}$ ]
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	1 $\mu\text{m}$ [40 $\mu\text{in}$ ]
Contact Size	12

### Termination Features

Round Termination Post & Tail Diameter	2.38 mm[.094 in]
Termination Method to Printed Circuit Board	Through Hole - Solder

### Mechanical Attachment

Connector Mounting Type	Board Mount
Wire Insulation Support	Without

### Usage Conditions

Operating Temperature Range	-55 – 105 $^{\circ}\text{C}$ [-67 – 221 $^{\circ}\text{F}$ ]
-----------------------------	--

### Operation/Application

Circuit Application	Power
---------------------	-------

### Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
------------------	-------------------------------

### Packaging Features

Packaging Method	Bag
Packaging Quantity	500

### Other

Comment	PCB Termination Type - Standard
---------	---------------------------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Pb (3.7% in Component part)



**Article Safe Usage Statements:**

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


### Compatible Parts

 <p>TE Part # 1766245-1 CONTACT,PIN,#12</p>	 <p>TE Part # 1650060-2 707-16-02109=CONTACT,PIN,#12</p>	 <p>TE Part # 1650074-3 707-47-02109=CONTACT,PIN,#12</p>	 <p>TE Part # 1766250-1 CONTACT,PIN,#12</p>
--	---	---	--

### Also in the Series | ELCON Drawer

 <p>PCB Connector Mounting(1)</p>	 <p>Power Contacts(33)</p>	 <p>Rectangular Connector Hardware(1)</p>	 <p>Rectangular Power Connectors(31)</p>
--	---	--	---

### Customers Also Bought



## Documents

### Product Drawings

[CONTACT, SKT, SIZE #12](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_6648374-1\\_A.2d\\_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_6648374-1\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_6648374-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[POWER\\_CONNECTORS\\_CATALOG\\_SEC02\\_CABLE\\_MOUNTED](#)

English

[AMP & ELCON Power Connector Layout Forms Datasheet 6-1773444-7](#)

English

### Product Specifications

[Application Specification](#)

English



**Product Environmental Compliance**

[MD\\_6648374-1\\_08052014130\\_dmtec](#)

English

[MD\\_6648374-1\\_08052014130\\_dmtec](#)

English