

62754-1 ✓ ACTIVE




## SPLICE

TE Internal #: 62754-1

Splices, 14000 – 30000 CMA Wire Size, Brass, Thru Splice / Pigtail  
Splice Splice, Serrated, 7 Serration, Length .312 in [7.92 mm], Reel,  
Open, SPLICE

[View on TE.com >](#)

Terminals & Splices > Splices



Sealable: **No**

Wire Size: **14000 – 30000 CMA**

Primary Product Material: **Brass**

Splice Type: **Pigtail Splice, Thru Splice**

Terminal Material Thickness: **.76 mm [ .03 in ]**

## Features

### Product Type Features

Barrel Style	Standard
Sealable	No
Splice Type	Pigtail Splice, Thru Splice
Serrated	Yes
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

### Configuration Features

Number of Serrations	7
Compatible With Wire & Cable Type	Discrete Wire

### Body Features

Weight per Piece	.998 g [.035 oz]
Plating Material	Unplated
Primary Product Material	Brass

### Contact Features



Barrel Type	Open
-------------	------

### Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

### Dimensions

Wire Size	14000 – 30000 CMA
Terminal Material Thickness	.76 mm [.03 in]
Overall Product Length	7.92 mm [.312 in]

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

### Operation/Application

Heavy Duty	No
Compatible With Wire Base Material	Copper

### Industry Standards

Government Qualified Splice	No
-----------------------------	----

### Packaging Features

Packaging Quantity	2000
Packaging Method	Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

## Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 60372-1  
SPLICE 1200-2600 .020 BR




TE Part # 485043-1  
SPLICE 4000-9000 .020 BR



TE Part # 63130-2  
SPLICE REC. 1500-5000 .020 BR



TE Part # 60997-1  
SPLICE 12000-18000 .025 BR



TE Part # 485016-1  
SPLICE 500-2200 .030 BR



TE Part # 41975  
SPLICE 1000-3200 CMA TPBR



TE Part # 1217967-1  
SPLICE 8500-14000 .025 BR



TE Part # 40509  
SPLICE 3300 TO 9000 CMA BR



TE Part # 41974  
SPLICE 1000-3200 CMA BR

Also in the Series | **SPLICE**





Crimp Wire Pins, Tabs &amp; Ferrules(1)



Splices(65)

## Customers Also Bought

TE Part #1-1376390-2  
5MM POWER KEY 4P PLUG HSG REDTE Part #5-1971875-3  
PTL 3X3 CAP PANEL MT HITEMP KEY  
A LGRTE Part #3-2299282-2  
POD-LOK 250 STR. AWG 18-14 PTPBR  
GFTE Part #63925-1  
SHUR PLUG .156 Dia 14-12 AWG  
PTPBRTE Part #3-2299280-2  
POD-LOK 250 FLAG AWG 16-14  
PTPBR GFTE Part #3-2299286-2  
POD-LOK 187 STR. AWG 24-20 PTPBRTE Part #NB13844001  
DWP-125-1/4-0-SPTE Part #D69815-000  
EP-101381-2.5-9

**CRIMPER** REPRESENTATION  
ONLY

TE Part #1338125-4  
CRIMPER, WIRE SPLICE

TE Part #387251  
FEED FINGER PIN

## Documents

### Product Drawings

[SPLICE 14000-30000 .030 BR](#)

English

### CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_62754-1\\_V\\_c-62754-1-v.2d\\_dxf.zip](#)



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_62754-1\\_V\\_c-62754-1-v.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_62754-1\\_V\\_c-62754-1-v.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

**Product Specifications**

**Application Specification**

English

---

**Product Environmental Compliance**

[MD\\_62754-1\\_101620182336\\_dmtec](#)

English

[MD\\_62754-1\\_101620182336\\_dmtec](#)

English

---

**Agency Approvals**

**CSA Certificate**

English

**CSA Certificate**

English