

61008-1 ✓ ACTIVE




SPLICE

TE Internal #: 61008-1

Splices, 18 – 16 AWG Wire Size, .823 – 1 mm² Wire Size, 1400 – 2800 CMA Wire Size, Steel, Pigtail Splice / Thru Splice Splice, 0 Serration, SPLICE

[View on TE.com >](#)

Terminals & Splices > Splices



Wire Size: 1400 – 2800 CMA

Sealable: No

Primary Product Material: Steel

Features

Product Type Features

Barrel Style	Standard
Sealable	No
Splice Type	Pigtail Splice, Thru Splice
Serrated	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Serrations	0
Compatible With Wire & Cable Type	Discrete Wire

Body Features

Weight per Piece	.058 g[.002 oz]
Plating Material	Tin
Primary Product Material	Steel

Contact Features

Barrel Type	Open
-------------	------



Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	1400 – 2800 CMA
Terminal Material Thickness	.41 mm[.016 in]
Overall Product Length	2.64 mm[.104 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 250 °C[-40 – 482 °F]

Operation/Application

Heavy Duty	No
Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	50000
Packaging Method	Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | SPLICE



Crimp Wire Pins, Tabs & Ferrules(1)



Splices(65)


Customers Also Bought



TE Part #520963-2
ULTRA-POD 250 ASSY REC 18-14
AWG TPBR



TE Part #66105-2
III+ SKT,24-20,TIN-LEAD,LP



TE Part #66103-2
III+ PIN,24-20,TIN-LEAD,LP



TE Part #4-643817-0
10P MTA156 CONN ASSY 18AWG LF



TE Part #3-644460-2
02P MTA156 CONN ASSY 18AWG
ORA



TE Part #CN9939-000
SBPH100375WE1-T200



TE Part #5677672002
RNF-3000-24/8-2-STK



TE Part #2065124003
HFT5000-20/10-0-SP



TE Part #2-520181-2
ULTRA-FAST 187 ASY REC 22-18 AWG
TPBR



TE Part #NB14434001
VERSAFIT-3/4-6-FSP

Documents

Product Drawings

[SPLICE 18-16 AWG .0158 TPST](#)

English

CAD Files

[3D PDF](#)

3D



Customer View Model

[ENG_CVM_CVM_61008-1_J_c-61008-1-j.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61008-1_J_c-61008-1-j.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61008-1_J_c-61008-1-j.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English